

## References: Electrolyzed reduced water, ionized water, alkaline water, and hydrogen water

---

1. T. KASHIWAGI, T. H., S. KABAYAMA, M. TAKAKI, K. TERUYA, Y. KATAKURA, K. OTUBO, S. MORISAWA, S. SHIRAHATA. (2005). Suppression of Oxidative Stress-Induced Apoptosis of Neuronal Cells by Electrolyzed-Reduced Water. *Animal Cell Technology Meets Genomics* **2**, 257-260.
2. DONOHUE, H. S., GABBOTT, P. L., DAVIES, H. A., RODRIGUEZ, J. J., CORDERO, M. I., SANDI, C., MEDVEDEV, N. I., POPOV, V. I., COLYER, F. M., PEDDIE, C. J. & STEWART, M. G. (2006). Chronic restraint stress induces changes in synapse morphology in stratum lacunosum-moleculare CA1 rat hippocampus: a stereological and three-dimensional ultrastructural study. *Neuroscience* **140**, 597-606.
3. OHTA, S. & OHSAWA, I. (2006). Dysfunction of mitochondria and oxidative stress in the pathogenesis of Alzheimer's disease: on defects in the cytochrome c oxidase complex and aldehyde detoxification. *J Alzheimers Dis* **9**, 155-66.
4. BRAVO, T. P., MATCHETT, G. A., JADHAV, V., MARTIN, R. D., JOURDAIN, A., COLOHAN, A., ZHANG, J. H. & TANG, J. (2008). Role of histamine in brain protection in surgical brain injury in mice. *Brain Research* **1205**, 100-7.
5. NAKAO, A., KACZOROWSKI, D. J., ZUCKERBRAUN, B. S., LEI, J., FALEO, G., DEGUCHI, K., MCCURRY, K. R., BILLIAR, T. R. & KANNO, S. (2008). Galantamine and carbon monoxide protect brain microvascular endothelial cells by heme oxygenase-1 induction. *Biochemical and Biophysical Research Communications* **367**, 674-9.
6. OHSAWA, I., NISHIMAKI, K., MURAKAMI, Y., SUZUKI, Y., ISHIKAWA, M. & OHTA, S. (2008). Age-dependent neurodegeneration accompanying memory loss in transgenic mice defective in mitochondrial aldehyde dehydrogenase 2 activity. *Journal of Neuroscience* **28**, 6239-6249.
7. SATO, Y., KAJIYAMA, S., AMANO, A., KONDO, Y., SASAKI, T., HANDA, S., TAKAHASHI, R., FUKUI, M., HASEGAWA, G., NAKAMURA, N., FUJINAWA, H., MORI, T., OHTA, M., OBAYASHI, H., MARUYAMA, N. & ISHIGAMI, A. (2008). Hydrogen-rich pure water prevents superoxide formation in brain slices of vitamin C-depleted SMP30/GNL knockout mice. *Biochem Biophys Res Commun* **375**, 346-350.
8. FU, Y., ITO, M., FUJITA, Y., ITO, M., ICHIHARA, M., MASUDA, A., SUZUKI, Y., MAESAWA, S., KAJITA, Y., HIRAYAMA, M., OHSAWA, I., OHTA, S. & OHNO, K. (2009). Molecular hydrogen is protective against 6-hydroxydopamine-induced nigrostriatal degeneration in a rat model of Parkinson's disease. *Neuroscience Letters* **453**, 81-85.
9. FUJITA, K., SEIKE, T., YUTSUDO, N., OHNO, M., YAMADA, H., YAMAGUCHI, H., SAKUMI, K., YAMAKAWA, Y., KIDO, M. A., TAKAKI, A., KATAFUCHI, T., TANAKA, Y., NAKABEPPU, Y. & NODA, M. (2009). Hydrogen in drinking water reduces dopaminergic neuronal loss in the 1-methyl-4-phenyl-1,2,3,6-

- tetrahydropyridine mouse model of Parkinson's disease. *PLoS One* **4**, e7247.
10. KUROKI, C., TOKUMARU, O., KOGA, H. & YOKOI, I. (2009). Neuroprotective effects of hydrogen gas on brain in three types of stress models: a P-31-NMR study. *Journal of Cerebral Blood Flow and Metabolism* **29**, S452-S452.
  11. KUROKI, C., TOKUMARU, O., OGATA, K., KOGA, H. & YOKOI, I. (2009). Neuroprotective effects of hydrogen gas on brain in three types of stress models: alpha P-31-NMR study. *Neuroscience Research* **65**, S124-S124.
  12. NAGATA, K., NAKASHIMA-KAMIMURA, N., MIKAMI, T., OHSAWA, I. & OHTA, S. (2009). Consumption of Molecular Hydrogen Prevents the Stress-Induced Impairments in Hippocampus-Dependent Learning Tasks during Chronic Physical Restraint in Mice. *Neuropsychopharmacology* **34**, 501-508.
  13. NAKASHIMA, Y., OHSAWA, I., KONISHI, F., HASEGAWA, T., KUMAMOTO, S., SUZUKI, Y. & OHTA, S. (2009). Preventive effects of Chlorella on cognitive decline in age-dependent dementia model mice. *Neuroscience Letters* **464**, 193-8.
  14. SAIKI, R., NISHIMURA, K., ISHII, I., OMURA, T., OKUYAMA, S., KASHIWAGI, K. & IGARASHI, K. (2009). Intense Correlation Between Brain Infarction and Protein-Conjugated Acrolein. *Stroke* **40**, 3356-3361.
  15. VAN PRAAG, H. (2009). Exercise and the brain: something to chew on. *Trends in Neurosciences* **32**, 283-90.
  16. BARI, F., OLAH, O., NEMETH, I., HUGYECZ, M. & DOMOKI, F. (2010). Inhalation of Hydrogen Gas Protects Cerebrovascular Reactivity Against Moderate but Not Severe Perinatal Hypoxic Injury in Newborn Piglets. *Stroke* **41**, E323-E323.
  17. DOMOKI, F., OLAH, O., ZIMMERMANN, A., NEMETH, I., TOTH-SZUKI, V., HUGYECZ, M., TEMESVARI, P. & BART, F. (2010). Hydrogen is Neuroprotective and Preserves Cerebrovascular Reactivity in Asphyxiated Newborn Pigs. *Pediatric Research* **68**, 387-392.
  18. GU, Y., HUANG, C. S., INOUE, T., YAMASHITA, T., ISHIDA, T., KANG, K. M. & NAKAO, A. (2010). Drinking Hydrogen Water Ameliorated Cognitive Impairment in Senescence-Accelerated Mice. *Journal of Clinical Biochemistry and Nutrition* **46**, 269-276.
  19. JI, X., LIU, W., XIE, K., QU, Y., CHAO, X., CHEN, T., ZHOU, J. & FEI, Z. (2010). Beneficial effects of hydrogen gas in a rat model of traumatic brain injury via reducing oxidative stress. *Brain Research* **1354**, 196-205.
  20. LI, J., WANG, C., ZHANG, J. H., CAI, J. M., CAO, Y. P. & SUN, X. J. (2010). Hydrogen-rich saline improves memory function in a rat model of amyloid-beta-induced Alzheimer's disease by reduction of oxidative stress. *Brain Res* **1328**, 152-161.
  21. UEDA, Y., NAKAJIMA, A. & OIKAWA, T. (2010). Hydrogen-Related Enhancement of In Vivo Antioxidant Ability in the Brain of Rats Fed Coral Calcium Hydride. *Neurochemical Research* **35**, 1510-1515.
  22. YOKOI, I. (2010). Neuroprotective effects of hydrogen gas on brain in three types of stress models: a P-31 NMR and ESR study. *Neuroscience Research* **68**,

E320-E320.

23. ZHOU, Z. Y., TANG, Y. P., XIANG, J., WUA, P., JIN, H. M., WANG, Z., MORI, M. & CAI, D. F. (2010). Neuroprotective effects of water-soluble Ganoderma lucidum polysaccharides on cerebral ischemic injury in rats. *Journal of Ethnopharmacology* **131**, 154-164.
24. ECKERMANN, J. M., CHEN, W., JADHAV, V., HSU, F. P., COLOHAN, A. R., TANG, J. & ZHANG, J. H. (2011). Hydrogen is neuroprotective against surgically induced brain injury. *Medical Gas Research* **1**, 7.
25. HUGYECZ, M., MRACSKO, E., HERTELENDY, P., FARKAS, E., DOMOKI, F. & BARI, F. (2011). Hydrogen supplemented air inhalation reduces changes of prooxidant enzyme and gap junction protein levels after transient global cerebral ischemia in the rat hippocampus. *Brain Research* **1404**, 31-8.
26. JUCKER, M. & WALKER, L. C. (2011). Pathogenic protein seeding in Alzheimer disease and other neurodegenerative disorders. *Annals of Neurology* **70**, 532-40.
27. KOBAYASHI, H., OTANI, N., NAWASHIRO, H., SHIMA, K., SUZUKI, S. & UENOYAMA, M. (2011). Effects of Hydrogen Gas in a Mouse Cold Induced Brain Injury Model. *Journal of Neurotrauma* **28**, A64-A64.
28. KUROKI, C., TOKUMARU, O., OGATA, K. & YOKOI, I. (2011). Neuroprotective effects of hydrogen gas on brain in three types of stress models: A P-31-NMR and ESR study. *Neuroscience Research* **71**, E406-E406.
29. LIU, W., CHEN, O., CHEN, C., WU, B., TANG, J. & ZHANG, J. H. (2011). Protective effects of hydrogen on fetal brain injury during maternal hypoxia. *Acta Neurochir Suppl* **111**, 307-11.
30. LIU, Y., LIU, W., SUN, X., LI, R., SUN, Q., CAI, J., KANG, Z., LV, S., ZHANG, J. H. & ZHANG, W. (2011). Hydrogen saline offers neuroprotection by reducing oxidative stress in a focal cerebral ischemia-reperfusion rat model. *Medical Gas Research* **1**, 15.
31. MANAENKO, A., LEKIC, T., MA, Q., OSTROWSKI, R. P., ZHANG, J. H. & TANG, J. (2011). Hydrogen inhalation is neuroprotective and improves functional outcomes in mice after intracerebral hemorrhage. *Acta Neurochir Suppl* **111**, 179-83.
32. ONO, H., NISHIJIMA, Y., ADACHI, N., TACHIBANA, S., CHITOKU, S., MUKAIHARA, S., SAKAMOTO, M., KUDO, Y., NAKAZAWA, J., KANEKO, K. & NAWASHIRO, H. (2011). Improved brain MRI indices in the acute brain stem infarct sites treated with hydroxyl radical scavengers, Edaravone and hydrogen, as compared to Edaravone alone. A non-controlled study. *Medical Gas Research* **1**, 12.
33. ONO, H., NISHIJIMA, Y., ADACHI, N., TACHIBANA, S., CHITOKU, S., MUKAIHARA, S., SAKAMOTO, M., KUDO, Y., NAKAZAWA, J., KANEKO, K. & NAWASHIRO, H. (2011). Improved brain MRI indices in the acute brain stem infarct sites treated with hydroxyl radical scavengers, Edaravone and hydrogen, as compared to Edaravone alone. A non-controlled study. *Medical Gas Research* **1**, 12.
34. SHEN, L., WANG, J., LIU, K., WANG, C., WU, H., SUN, Q., SUN, X. & JING, H.

- (2011). Hydrogen-rich saline is cerebroprotective in a rat model of deep hypothermic circulatory arrest. *Neurochemical Research* **36**, 1501-11.
35. SUN, Q., CAI, J., ZHOU, J., TAO, H., ZHANG, J. H., ZHANG, W. & SUN, X. J. (2011). Hydrogen-rich saline reduces delayed neurologic sequelae in experimental carbon monoxide toxicity. *Critical Care Medicine* **39**, 765-9.
36. WANG, C., LI, J., LIU, Q., YANG, R., ZHANG, J. H., CAO, Y. P. & SUN, X. J. (2011). Hydrogen-rich saline reduces oxidative stress and inflammation by inhibit of JNK and NF-kappaB activation in a rat model of amyloid-beta-induced Alzheimer's disease. *Neuroscience Letters* **491**, 127-32.
37. YAN, H., KASHIWAKI, T., HAMASAKI, T., KINJO, T., TERUYA, K., KABAYAMA, S. & SHIRAHATA, S. (2011). The neuroprotective effects of electrolyzed reduced water and its model water containing molecular hydrogen and Pt nanoparticles. *BMC Proc* **5 Suppl 8**, P69.
38. HOU, Z., LUO, W., SUN, X., HAO, S., ZHANG, Y., XU, F., WANG, Z. & LIU, B. (2012). Hydrogen-rich saline protects against oxidative damage and cognitive deficits after mild traumatic brain injury. *Brain Res Bull* **88**, 560-5.
39. ITO, M., HIRAYAMA, M., YAMAI, K., GOTO, S., ICHIHARA, M. & OHNO, K. (2012). Drinking hydrogen water and intermittent hydrogen gas exposure, but not lactulose or continuous hydrogen gas exposure, prevent 6-hydroxydopamine-induced Parkinson's disease in rats. *Med Gas Res* **2**, 15.
40. JI, X., TIAN, Y., XIE, K., LIU, W., QU, Y. & FEI, Z. (2012). Protective effects of hydrogen-rich saline in a rat model of traumatic brain injury via reducing oxidative stress. *Journal of Surgical Research* **178**, e9-16.
41. SPULBER, S., EDOFF, K., HONG, L., MORISAWA, S., SHIRAHATA, S. & CECCATELLI, S. (2012). Molecular hydrogen reduces LPS-induced neuroinflammation and promotes recovery from sickness behaviour in mice. *PLoS One* **7**, e42078.
42. WANG, W., LI, Y., REN, J., XIA, F., LI, J. & ZHANG, Z. (2012). Hydrogen rich saline reduces immune-mediated brain injury in rats with acute carbon monoxide poisoning. *Neurological Research* **34**, 1007-15.
43. ZHAN, Y., CHEN, C., SUZUKI, H., HU, Q., ZHI, X. & ZHANG, J. H. (2012). Hydrogen gas ameliorates oxidative stress in early brain injury after subarachnoid hemorrhage in rats. *Critical Care Medicine* **40**, 1291-6.
44. ZHOU, J., CHEN, Y., HUANG, G. Q., LI, J., WU, G. M., LIU, L., BAI, Y. P. & WANG, J. (2012). Hydrogen-rich saline reverses oxidative stress, cognitive impairment, and mortality in rats submitted to sepsis by cecal ligation and puncture. *Journal of Surgical Research* **178**, 390-400.
45. ZHUANG, Z., ZHOU, M. L., YOU, W. C., ZHU, L., MA, C. Y., SUN, X. J. & SHI, J. X. (2012). Hydrogen-rich saline alleviates early brain injury via reducing oxidative stress and brain edema following experimental subarachnoid hemorrhage in rabbits. *BMC Neurosci* **13**, 47.
46. FENG, Y., WANG, R., XU, J., SUN, J., XU, T., GU, Q. & WU, X. (2013). Hydrogen-rich saline prevents early neurovascular dysfunction resulting from inhibition of oxidative stress in STZ-diabetic rats. *Curr Eye Res* **38**, 396-404.

47. MANAENKO, A., LEKIC, T., MA, Q., ZHANG, J. H. & TANG, J. (2013). Hydrogen inhalation ameliorated mast cell-mediated brain injury after intracerebral hemorrhage in mice. *Critical Care Medicine* **41**, 1266-75.
48. YONAMINE, R., SATOH, Y., KODAMA, M., ARAKI, Y. & KAZAMA, T. (2013). Coadministration of hydrogen gas as part of the carrier gas mixture suppresses neuronal apoptosis and subsequent behavioral deficits caused by neonatal exposure to sevoflurane in mice. *Anesthesiology* **118**, 105-13.
49. YORITAKA, A., TAKANASHI, M., HIRAYAMA, M., NAKAHARA, T., OHTA, S. & HATTORI, N. (2013). Pilot study of H<sub>2</sub> therapy in Parkinson's disease: A randomized double-blind placebo-controlled trial. *Movement Disorders*.
50. LAURIAN, S. (1954). [Study of alkaline mineral water in aerosols in therapy of chronic bronchopulmonary diseases]. *Rev Stiint Med* **6**, 107-13.
51. SAGGESE, P. (1954). [The use of alkaline water in milk formulas as a preventive and therapeutic method]. *Lattante* **25**, 438-41.
52. MENDEN, E. & CREMER, H. D. (1956). [Experiments on the effect of a carbonated alkaline mineral water on the resorption of calcium, as well as on the deposition and persistence of calcium in bones and teeth]. *Medizinische*, 353-4.
53. NEUMAYR, A. (1960). [On the influence of an alkaline mineral water ("Staatl. Fachingen") on the resorption of drugs from the small intestine]. *Wien Z Inn Med* **41**, 316-9.
54. SCHETTINI, F. (1961). [Observations on the influence of a bicarbonate-alkaline-earthly mineral water on the growth of artificially fed infants]. *Pediatrics (Napoli)* **69**, 965-73.
55. LUBCZYNSKA KOWALSKA, W. (1963). [Effect of Bathing in an Alkaline Carbonated Mineral Water from the "Mieszko" Spring in Szczawna-Spa on Pseudotuberculosis in Guinea Pigs]. *Gruzlica* **31**, 1239-42.
56. KOLESAR, J., SIKORAI, S. & MATEJ, M. (1966). [Changes in electrolytes after drinking the alkaline mineral water "Fatra"]. *Fysiatr Revmatol Vestn* **44**, 7-12.
57. KUDLAENKO, K. I. (1967). [The effect of salt-alkaline mineral water on the antitoxic function of the liver in animals with carbon tetrachloride poisoning]. *Patol Fiziol Eksp Ter* **11**, 71-2.
58. DORR, D., WOLF, M. B., MALONEY, J. V., JR. & DELAND, E. C. (1969). The anomalous distribution of body water under an alkaline osmotic stress in hypothyroid dogs. *J Surg Res* **9**, 471-5.
59. KOLESAR, J. & DOBIS, J. (1969). [Effect of drinking of alkaline mineral water on gastric secretion]. *Arch Phys Ther (Leipz)* **21**, 321-4.
60. FERRETTI, P. G., MARCHINI, L., AFRICA, A. & PASSERI, M. (1975). [On the hypouricemic action of an alkaline mineral water in the aged]. *Minerva Med* **66**, 1509-18.
61. KOSSMANN, S., PIERZCHALA, W., SCIESZKA, J. & KONIECZNY, B. (1977). [Effect of single inhalation of Mieszko alkaline mineral water on the ventilatory lung efficiency in patients with chronic bronchitis]. *Pol Tyg Lek* **32**, 1921-3.
62. DIGIESI, V., POLI, S. & FEROCI, M. (1978). [Effect of a bicarbonate-alkaline-earth mineral water on the proteolytic and alpha-glucosidase activity of the

- gastric mucosa]. *Boll Soc Ital Biol Sper* **54**, 1342-5.
63. GRASSI, M., MESSINA, B., FRAIOLI, A., SCHIETROMA, M., DI GIACOMO, M. L. & GROSSI, F. (1983). Effects of bicarbonate-alkaline earth water (Sangemini) on some parameters on blood chemistry in wrestlers after exertion. *J Sports Med Phys Fitness* **23**, 102-6.
64. ALBERTAZZI, A., PALMIERI, P. F., SPISNI, C., POLIDORO, M. & DI GUGLIELMO, R. (1985). [Changes in water-electrolyte balance induced by administration of bicarbonate-alkaline earth water in patients with nephrolithiasis]. *Minerva Urol Nefrol* **37**, 221-31.
65. MARCELLI, M., CALAFIORE, R., PIETROPAOLO, M., MISERICORDIA, P., CRESCENZI, A. & SANTEUSANIO, F. (1987). [Effect of treatment with alkaline bicarbonate mineral water on the metabolic response to physical exercise in insulin-dependent diabetics]. *Clin Ter* **122**, 213-8.
66. STANGHELLINI, V., CORINALDESI, R., RAITI, C., REA, E., SALGEMINI, R., PAPARO, G. F., DOMINICI, G. & BARBARA, L. (1987). [Effect of alkaline-earth water on gastric emptying time in patients with anorganic dyspepsia]. *Clin Ter* **121**, 63-74.
67. GASBARRINI, G., ARIENTI, V., MAGRI, F., BORIANI, L., UGENTI, F. & BELOTTI, M. (1991). [Effects of bicarbonated-alkaline water (Uliveto) on gastric and gallbladder emptying in normal subjects. Ultrasonic evaluation]. *Minerva Med* **82**, 59-62.
68. MARCHI, S., POLLONI, A., BELLINI, M., ORSITTO, E., COSTA, F., SPATARO, M., TUMINO, E., CIPPARRONE, G. & MALTINTI, G. (1992). [Evaluation of the efficacy of bicarbonate-alkaline water action on gallbladder motility]. *Minerva Med* **83**, 69-72.
69. HATTO, M., SAKAI, Y. & OHTSUKA, H. (1997). The physiological property and function of the electrolyzed-ionized calcium Aquamax on water molecular clusters fractionization. *Artif Organs* **21**, 43-9.
70. JAY, J. M. (1999). "Bacterial profile of ground beef made from carcass tissue experimentally contaminated with pathogenic and spoilage bacteria before being washed with hot water, alkaline solution, or organic acid and then stored at 4 or 12 degrees C," a comment on: *J. Food Prot.* 61(9):1109-1118 (1998). *J Food Prot* **62**, 104-5.
71. WILKIE, M. P., LAURENT, P. & WOOD, C. M. (1999). The physiological basis for altered Na<sup>+</sup> and Cl<sup>-</sup> movements across the gills of rainbow trout (*Oncorhynchus mykiss*) in alkaline (pH = 9.5) water. *Physiol Biochem Zool* **72**, 360-8.
72. DROBNIK, M. (2000). [Evaluation of pharmacodynamic properties of medium-mineralized alkaline water designed for distribution as bottled natural mineral water]. *Rocz Panstw Zakl Hig* **51**, 379-84.
73. BERTONI, M., OLIVIERI, F., MANGHETTI, M., BOCCOLINI, E., BELLOMINI, M. G., BLANDIZZI, C., BONINO, F. & DEL TACCA, M. (2002). Effects of a bicarbonate-alkaline mineral water on gastric functions and functional dyspepsia: a preclinical and clinical study. *Pharmacol Res* **46**, 525-31.
74. KOSEKI, M., FUJIKI, S., TANAKA, Y., NOGUCHI, H. & NISHIKAWA, T. (2005).

- Effect of water hardness on the taste of alkaline electrolyzed water. *Journal of Food Science* **70**, S249-S253.
75. KOSEKI, M., TANAKA, Y., NOGUCHI, H. & NISHIKAWA, T. (2007). Effect of pH on the taste of alkaline electrolyzed water. *J Food Sci* **72**, S298-302.
76. FORNAI, M., COLUCCI, R., ANTONIOLI, L., GHISU, N., TUCCORI, M., GORI, G., BLANDIZZI, C. & DEL TACCA, M. (2008). Effects of a bicarbonate-alkaline mineral water on digestive motility in experimental models of functional and inflammatory gastrointestinal disorders. *Methods Find Exp Clin Pharmacol* **30**, 261-9.
77. JIN, D. K., DONG-HEUI ; TENG, YUNG-CHIEN ; XUFENG, QI ; LEE, KYU-JAE (2008). The Effect of Mineral-induced Alkaline Reduced Water on the DSS-induced Acute inflammatory Bowel Disease Mouse Model. *Korean Journal of Microscopy* **38**, 81-87.
78. ABOL-ENEIN, H., GHEITH, O. A., BARAKAT, N., NOUR, E. & SHARAF, A. E. (2009). Ionized alkaline water: new strategy for management of metabolic acidosis in experimental animals. *Ther Apher Dial* **13**, 220-4.
79. PAJUNEN, G. A., PURNELL, M. J., DIBBLE, W. E., JR. & TILLER, W. A. (2009). Altering the acid/alkaline balance of water via the use of an intention-host device. *J Altern Complement Med* **15**, 963-8.
80. SHULIN LIU, X. S. A. H. T. (201?). Hydrogen from a biologically inert gas to a unique antioxidant.
81. NAKAMURA, D. N. (1993). Hydrogen, What a Gas. *Hydrocarbon Processing* **72**, 23-23.
82. KUMON, K. (1997). What Is Functional Water? *Artificial Organs* **21**, 2-4.
83. OKOUCHI, S., SUZUKI, M., SUGANO, K., KAGAMIMORI, S. & IKEDA, S. (2002). Water desirable for the human body in terms of oxidation-reduction potential (ORP) to pH relationship. *Journal of Food Science* **67**, 1594-1598.
84. SHIRAHATA, S. A. N. E. T. A. K. A. (2002). Reduced water for prevention of diseases. *Animal Cell Technology: Basic and Applied Aspects* **12**, 25-30.
85. BALL, J. (2007). Recently published papers: More about EGDT, experimental therapies and some inconvenient truths. *Critical Care* **11**.
86. WOOD, K. C. & GLADWIN, M. T. (2007). The hydrogen highway to reperfusion therapy. *Nat Med* **13**, 673-674.
87. OHTA, S. (2008). [Hydrogen gas and hydrogen water act as a therapeutic and preventive antioxidant with a novel concept]. *Nihon Ronen Igakkai Zasshi* **45**, 355-62.
88. ZHANG, S. X.-J. J. H. (2008). Hydrogen-an endogenous antioxidant in the body. *Academic Journal of Second Military Medical University* **28**, 233-235.
89. MILTON, S. L. (2009). Hydrogen Saline a Real Gas. *Journal of Experimental Biology* **212**, v-vi.
91. NAKAO, A., SUGIMOTO, R., BILLIAR, T. R. & MCCURRY, K. R. (2009). Therapeutic Antioxidant Medical Gas. *Journal of Clinical Biochemistry and Nutrition* **44**, 1-13.

92. GEORGE, J. F. & AGARWAL, A. (2010). Hydrogen: another gas with therapeutic potential. *Kidney International* **77**, 85-87.
93. GONCHARUK, V. V., BAGRII, V. A., MEL'NIK, L. A., CHEBOTAREVA, R. D. & BASHTAN, S. Y. (2010). The use of redox potential in water treatment processes. *Journal of Water Chemistry and Technology* **32**, 1-9.
94. HONG, Y., CHEN, S. & ZHANG, J. M. (2010). Hydrogen as a selective antioxidant: a review of clinical and experimental studies. *Journal of International Medical Research* **38**, 1893-903.
95. HUANG, C. S., KAWAMURA, T., TOYODA, Y. & NAKAO, A. (2010). Recent advances in hydrogen research as a therapeutic medical gas. *Free Radical Research* **44**, 971-982.
96. LIU, C., CUI, J. G., SUN, Q. & CAI, J. M. (2010). Hydrogen therapy may be an effective and specific novel treatment for acute radiation syndrome. *Medical Hypotheses* **74**, 145-146.
97. QIAN, L. R., LI, B. L., CAI, J. M. & GAO, F. (2010). The Hypothesis of an Effective Safe and Novel Radioprotective Agent Hydrogen-rich Solution. *West Indian Medical Journal* **59**, 122-124.
98. JUN CHEN, B. Z., MINGCHAO LI, TAO QI, ZHENG CHEN, XUEJUN SUN, XIAO CHEN (2011). Hydrogen therapy may be a promising, safe and effective treatment for diabetic erectile dysfunction: a hypothesis. *Alternative Medicine Studies*.
99. MUNOZ-GUERRA, J. A., PRADO, P. & GARCIA-TENORIO, S. V. (2011). Use of hydrogen as a carrier gas for the analysis of steroids with anabolic activity by gas chromatography-mass spectrometry. *Journal of Chromatography A* **1218**, 7365-70.
100. OHTA, S. (2011). Recent progress toward hydrogen medicine: potential of molecular hydrogen for preventive and therapeutic applications. *Curr Pharm Des* **17**, 2241-52.
101. OHTA, S., NAKAO, A. & OHNO, K. (2011). The 2011 Medical Molecular Hydrogen Symposium: An Inaugural Symposium of the Journal Medical Gas Research *Medical Gas Research* **1**, 10.
102. OHTA, S., NAKAO, A. & OHNO, K. (2011). The 2011 Medical Molecular Hydrogen Symposium: An inaugural symposium of the journal Medical Gas Research. *Med Gas Res* **1**, 10.
103. SCHOENFELD, M. P., ANSARI, R. R., ZAKRAJSEK, J. F., BILLIAR, T. R., TOYODA, Y., WINK, D. A. & NAKAO, A. (2011). Hydrogen therapy may reduce the risks related to radiation-induced oxidative stress in space flight. *Medical Hypotheses* **76**, 117-8.
104. YONGCHUN SHEN, T. Y., TAO WANG, FUQIANG WEN. (2011). Hydrogen gas: a novel antioxidant for chronic obstructive pulmonary disease. *Journal of Medical Colleges of PLA* **26**, 94-97.
105. GHANIZADEH, A. (2012). Hydrogen as a novel hypothesized emerging treatment for oxidative stress in autism. *European Review for Medical and Pharmacological Sciences* **16**, 1313-4.



106. LI, D. & WANG, W. C. (2012). Can hydrogen retard the progression of osteoarthritis? *African Journal of Pharmacy and Pharmacology* **6**, 352-354.
107. OHNO, K., ITO, M. & ICHIHARA, M. (2012). Molecular hydrogen as an emerging therapeutic medical gas for neurodegenerative and other diseases. *Oxidative Medicine and Cellular Longevity* **2012**, 353152.
108. SCHOENFELD, M. P., ANSARI, R. R., NAKAO, A. & WINK, D. (2012). A hypothesis on biological protection from space radiation through the use of new therapeutic gases as medical counter measures. *Medical Gas Research* **2**, 8.
109. SHI, P. & SUN, W. (2012). A hypothesis on chemical mechanism of the effect of hydrogen. *Med Gas Res* **2**, 17.
110. SHIRAHATA, S., HAMASAKI, T. & TERUYA, K. (2012). Advanced research on the health benefit of reduced water. *Trends in Food Science & Technology* **23**, 124-131.
111. SIMON, A. R. (2012). Hydrogen-supplemented drinking water, just soda or an elixir of life? *Transplant International* **25**, 1211-1212.
112. ZHANG, J. Y., LIU, C., ZHOU, L., QU, K., WANG, R. T., TAI, M. H., LEI, J. C. W. L., WU, Q. F. & WANG, Z. X. (2012). A Review of Hydrogen as a New Medical Therapy. *Hepato-Gastroenterology* **59**, 1026-1032.
113. DIXON, B. J., TANG, J. & ZHANG, J. H. (2013). The evolution of molecular hydrogen: a noteworthy potential therapy with clinical significance. *Med Gas Res* **3**, 10.
114. GHANIZADEH, A. & BERK, M. (2013). Molecular hydrogen: an overview of its neurobiological effects and therapeutic potential for bipolar disorder and schizophrenia. *Med Gas Res* **3**, 11.
115. QU, J. & LU, X. (2013). Hydrogen: A promising novel treatment for hepatic encephalopathy? *Free Radic Biol Med*.
116. WYNN, E., KRIEG, M. A., AESCHLIMANN, J. M. & BURCKHARDT, P. (2009). Alkaline mineral water lowers bone resorption even in calcium sufficiency: alkaline mineral water and bone metabolism. *Bone* **44**, 120-4.
117. HEIL, D. P. (2010). Acid-base balance and hydration status following consumption of mineral-based alkaline bottled water. *J Int Soc Sports Nutr* **7**, 29.
118. PAJUNEN, G. A., PURNELL, M. J., DIBBLE, W. E. & TILLER, W. A. (2011). Altering the Acid/Alkaline Balance of Water via the Use of an Intention-Host Device. *J Altern Complement Med*.
119. KOUFMAN, J. A. & JOHNSTON, N. (2012). Potential benefits of pH 8.8 alkaline drinking water as an adjunct in the treatment of reflux disease. *Ann Otol Rhinol Laryngol* **121**, 431-4.
120. FUJITA, R., TANAKA, Y., SAIHARA, Y., YAMAKITA, M., ANDO, D. & KOYAMA, K. (2011). Effect of molecular hydrogen saturated alkaline electrolyzed water on disuse muscle atrophy in gastrocnemius muscle. *Journal of Physiological Anthropology* **30**, 195-201.
121. KENSUKE NAKANISHI, T. H., TAKURO NAKAMURA,, MASUMI ABE, K. T., YOSHINORI KATAKURA, & SHINKATSU MORISAWA, A. S. S. growth

- suppression of HL60 and L6 cells by atomic hydrogen.
122. LOCHTER, A., STERNLICHT, M. D., WERB, Z. & BISSELL, M. J. (1998). The significance of matrix metalloproteinases during early stages of tumor progression. *Annals of the New York Academy of Sciences* **857**, 180-93.
  123. MR TAKA AKI KOMATSU, S. K., AKIRA HAYASHIDA, HIROFUMA NOGAMI, DR KIICHIRO TERUYA, YOSHINORI KATAKURA, KAZUMITI OTSUBO, SHINKATSU MORISAWA, PROF SANETAKA SHIRAHATA. (2001). Suppressive Effect of Electrolyzed-Reduced Water on the Growth of Cancer Cells and Microorganisms. *Animal Cell Technology: From Target to Market* **1**, 220-223.
  124. S. SHIRAHATA, S. K., K. KUSUMOTO, M. GOTOH, K. TERUYA, K. OTSUBO, J. S. MORISAWA, H. HAYASHI, K. KATAKURA. (2002). Electrolyzed Reduced Water Which Can Scavenge Active Oxygen Species Suppresses Cell Growth and Regulates Gene Expression of Animal Cells. *New Developments and New Applications in Animal Cell Technology*, 93-96.
  125. KOMATSU, T., KATAKURA, Y., TERUYA, K., OTSUBO, K., MORISAWA, S., & SHIRAHATA, S. (2003). Electrolyzed reduced water induces differentiation in K-562 human leukemia cells. *Animal cell technology: Basic & applied aspects*, 387-391.
  126. JUN, Y., TERUYA, K., KATAKURA, Y., OTSUBO, K., MORISAWA, S. & SHIRAHATA, S. (2004). Suppression of invasion of cancer cells and angiogenesis by electrolyzed reduced water. *In Vitro Cellular & Developmental Biology-Animal* **40**, 79A-79A.
  127. LEE, K.-J. (2004). Anticancer Effect of Alkaline Reduced Water. *J Int Soc Life Inf Sci* **22**, 302-305.
  128. NISHIKAWA, R., TERUYA, K., KATAKURA, Y., OTSUBO, K., MORISAWA, S. & SHIRAHATA, S. (2004). Suppression of two-stage cell transformation by electrolyzed reduced water/platinum nanocolloids. *In Vitro Cellular & Developmental Biology-Animal* **40**, 79A-79A.
  129. NISHIKAWA, R., TERUYA, K., KATAKURA, Y., OSADA, K., HAMASAKI, T., KASHIWAGI, T., KOMATSU, T., LI, Y., YE, J., ICHIKAWA, A., OTSUBO, K., MORISAWA, S., XU, Q. & SHIRAHATA, S. (2005). Electrolyzed Reduced Water Supplemented with Platinum Nanoparticles Suppresses Promotion of Two-stage Cell Transformation. *Cytotechnology* **47**, 97-105.
  130. RYUHEI NISHIKAWA, F. O. A. K. T., YOSHINORI KATAKURA, KAZUMICHI OTSUBO, SHINKATSU MORISAWA, QIANGHUA XU, SANETAKA SHIRAHATA. (2006). Suppression of two-stage cell transformation by electrolyzed reduced water containing platinum nanoparticles. *Animal Cell Technology: Basic & Applied Aspects* **14**.
  131. SAITOH, Y., OKAYASU, H., XIAO, L., HARATA, Y. & MIWA, N. (2008). Neutral pH Hydrogen-Enriched Electrolyzed Water Achieves Tumor-Preferential Clonal Growth Inhibition Over Normal Cells and Tumor Invasion Inhibition Concurrently With Intracellular Oxidant Repression. *Oncology Research* **17**, 247-255.

132. YE, J., LI, Y., HAMASAKI, T., NAKAMICHI, N., KOMATSU, T., KASHIWAGI, T., TERUYA, K., NISHIKAWA, R., KAWAHARA, T., OSADA, K., TOH, K., ABE, M., TIAN, H., KABAYAMA, S., OTSUBO, K., MORISAWA, S., KATAKURA, Y. & SHIRAHATA, S. (2008). Inhibitory effect of electrolyzed reduced water on tumor angiogenesis. *Biological & Pharmaceutical Bulletin* **31**, 19-26.
133. SAITOH, Y., YOSHIMURA, Y., NAKANO, K. & MIWA, N. (2009). Platinum nanocolloid-supplemented hydrogendissolved water inhibits growth of human tongue carcinoma cells preferentially over normal cells. *Exp Oncol* **31**, 156-62.
134. TSAI, C. F., HSU, Y. W., CHEN, W. K., HO, Y. C. & LU, F. J. (2009). Enhanced induction of mitochondrial damage and apoptosis in human leukemia HL-60 cells due to electrolyzed-reduced water and glutathione. *Biosci Biotechnol Biochem* **73**, 280-7.
135. ASADA, R., KAGEYAMA, K., TANAKA, H., MATSUI, H., KIMURA, M., SAITOH, Y. & MIWA, N. (2010). Antitumor effects of nano-bubble hydrogen-dissolved water are enhanced by coexistent platinum colloid and the combined hyperthermia with apoptosis-like cell death. *Oncol Rep* **24**, 1463-70.
136. FUKUYO, Y., HUNT, C. R. & HORIKOSHI, N. (2010). Geldanamycin and its anti-cancer activities. *Cancer Letters* **290**, 24-35.
137. KANG, N., ZHANG, J. H., QIU, F., TASHIRO, S., ONODERA, S. & IKEJIMA, T. (2010). Inhibition of EGFR signaling augments oridonin-induced apoptosis in human laryngeal cancer cells via enhancing oxidative stress coincident with activation of both the intrinsic and extrinsic apoptotic pathways. *Cancer Letters* **294**, 147-158.
138. LITTLEPAGE, L. E., STERNLICHT, M. D., ROUGIER, N., PHILLIPS, J., GALLO, E., YU, Y., WILLIAMS, K., BRENOT, A., GORDON, J. I. & WERB, Z. (2010). Matrix metalloproteinases contribute distinct roles in neuroendocrine prostate carcinogenesis, metastasis, and angiogenesis progression. *Cancer Research* **70**, 2224-34.
139. MATSUSHITA, T., KUSAKABE, Y., KITAMURA, A., OKADA, S. & MURASE, K. (2011). Investigation of protective effect of hydrogen-rich water against cisplatin-induced nephrotoxicity in rats using blood oxygenation level-dependent magnetic resonance imaging. *Jpn J Radiol* **29**, 503-12.
140. AKIO KAGAWA, K. K., MASAYUKI MIZUMOTO, YUTAKA TAGAWA, YOICHI MASIKO. (2012). Influence of Hydrogen Discharged from Palladium Base Hydrogen Storage Alloys on Cancer Cells. *Materials Science Forum* **706**, 520-525.
141. KINJO, T., YE, J., YAN, H. X., HAMASAKI, T., NAKANISHI, H., TOH, K., NAKAMICHI, N., KABAYAMA, S., TERUYA, K. & SHIRAHATA, S. (2012). Suppressive effects of electrochemically reduced water on matrix metalloproteinase-2 activities and in vitro invasion of human fibrosarcoma HT1080 cells. *Cytotechnology* **64**, 357-371.
142. MAKOTO MATSUZAKI, A. K., AIKO MOTOISHI, KUNIHICO TANAKA, MASATAKA YAMAMOTO, YUTAKA TAGAWA. (2013). Mechanism of Cancer

- Cell Death Induced by Hydrogen Discharged from Palladium Base Hydrogen Storage Alloy. *Materials Science and Chemical Engineering*
143. KIKKAWA, Y. S., NAKAGAWA, T., HORIE, R. T. & ITO, J. (2009). Hydrogen protects auditory hair cells from free radicals. *Neuroreport* **20**, 689-94.
  144. OHARAZAWA, H., TSUTOMU IGARASHI, TAKASHI YOKOTA, HIROAKI FUJII, HISAHARU SUZUKI, MITSURU MACHIDE, HIROSHI TAKAHASHI, SHIGEO OHTA, AND IKUROH OHSAWA. (2010). Protection of the retina by rapid diffusion of hydrogen: administration of hydrogen-loaded eye drops in retinal ischemia–reperfusion injury. *Investigative ophthalmology & visual science* **51**, 487-492.
  145. OHARAZAWA, H., IGARASHI, T., YOKOTA, T., FUJII, H., SUZUKI, H., MACHIDE, M., TAKAHASHI, H., OHTA, S. & OHSAWA, I. (2010). Protection of the Retina by Rapid Diffusion of Hydrogen: Administration of Hydrogen-Loaded Eye Drops in Retinal Ischemia-Reperfusion Injury. *Investigative Ophthalmology & Visual Science* **51**, 487-492.
  146. TAURA, A., KIKKAWA, Y. S., NAKAGAWA, T. & ITO, J. (2010). Hydrogen protects vestibular hair cells from free radicals. *Acta Oto-Laryngologica* **130**, 95-100.
  147. LIN, Y., KASHIO, A., SAKAMOTO, T., SUZUKAWA, K., KAKIGI, A. & YAMASOBA, T. (2011). Hydrogen in drinking water attenuates noise-induced hearing loss in guinea pigs. *Neuroscience Letters* **487**, 12-16.
  148. FENG, M., WANG, X. H., YANG, X. B., XIAO, Q. & JIANG, F. G. (2012). Protective effect of saturated hydrogen saline against blue light-induced retinal damage in rats. *Int J Ophthalmol* **5**, 151-7.
  149. HUANG, L., ZHAO, S., ZHANG, J. H. & SUN, X. (2012). Hydrogen saline treatment attenuates hyperoxia-induced retinopathy by inhibition of oxidative stress and reduction of VEGF expression. *Ophthalmic Res* **47**, 122-7.
  150. QU, J., GAN, Y. N., XIE, K. L., LIU, W. B., WANG, Y. F., HEI, R. Y., MI, W. J. & QIU, J. H. (2012). Inhalation of hydrogen gas attenuates ouabain-induced auditory neuropathy in gerbils. *Acta Pharmacologica Sinica* **33**, 445-451.
  151. QU, J., LI, X., WANG, J., MI, W., XIE, K. & QIU, J. (2012). Inhalation of hydrogen gas attenuates cisplatin-induced ototoxicity via reducing oxidative stress. *Int J Pediatr Otorhinolaryngol* **76**, 111-5.
  152. ZHOU, Y., ZHENG, H., RUAN, F., CHEN, X., ZHENG, G., KANG, M., ZHANG, Q. & SUN, X. (2012). Hydrogen-rich saline alleviates experimental noise-induced hearing loss in guinea pigs. *Neuroscience* **209**, 47-53.
  153. SHIRAHATA, S., KABAYAMA, S., NAKANO, M., MIURA, T., KUSUMOTO, K., GOTOH, M., HAYASHI, H., OTSUBO, K., MORISAWA, S. & KATAKURA, Y. (1997). Electrolyzed-reduced water scavenges active oxygen species and protects DNA from oxidative damage. *Biochemical and Biophysical Research Communications* **234**, 269-274.
  154. CERIELLO, A. (2003). New insights on oxidative stress and diabetic complications may lead to a "causal" antioxidant therapy. *Diabetes Care* **26**, 1589-96.

155. OHSAWA, I., KAMINO, K., NAGASAKA, K., ANDO, F., NIINO, N., SHIMOKATA, H. & OHTA, S. (2003). Genetic deficiency of a mitochondrial aldehyde dehydrogenase increases serum lipid peroxides in community-dwelling females. *Journal of Human Genetics* **48**, 404-9.
156. OHSAWA, I., NISHIMAKI, K., YASUDA, C., KAMINO, K. & OHTA, S. (2003). Deficiency in a mitochondrial aldehyde dehydrogenase increases vulnerability to oxidative stress in PC12 cells. *Journal of Neurochemistry* **84**, 1110-7.
157. HANAOKA, K., SUN, D. X., LAWRENCE, R., KAMITANI, Y. & FERNANDES, G. (2004). The mechanism of the enhanced antioxidant effects against superoxide anion radicals of reduced water produced by electrolysis. *Biophysical Chemistry* **107**, 71-82.
158. HIRAOKA, A., TAKEMOTO, M., SUZUKI, T., SHINOHARA, A., CHIBA, M., SHIRAO, M. & YOSHIMURA, Y. (2004). Studies on the properties and real existence of aqueous solution systems that are assumed to have antioxidant activities by the action of "active hydrogen". *Journal of Health Science* **50**, 456-465.
159. MCKENZIE, M., LIOLITSA, D. & HANNA, M. G. (2004). Mitochondrial disease: mutations and mechanisms. *Neurochemical Research* **29**, 589-600.
160. OHTA, S., OHSAWA, I., KAMINO, K., ANDO, F. & SHIMOKATA, H. (2004). Mitochondrial ALDH2 deficiency as an oxidative stress. *Annals of the New York Academy of Sciences* **1011**, 36-44.
161. PARK, E. J. (2005). Protective effect of electrolyzed reduced water on the paraquat-induced oxidative damage of human lymphocyte DNA. *Journal of the Korean Society for Applied Biological Chemistry* **48**, 155-160.
162. YANAGIHARA, T., ARAI, K., MIYAMAE, K., SATO, B., SHUDO, T., YAMADA, M. & AOYAMA, M. (2005). Electrolyzed hydrogen-saturated water for drinking use elicits an antioxidative effect: a feeding test with rats. *Biosci Biotechnol Biochem* **69**, 1985-7.
163. HIRAOKA, A., SASAKI, S., YAMADA, T., SHINOHARA, A. & CHIBA, M. (2006). Effects of drinking a water product with anti-oxidant activities in vitro on the blood levels of biomarker substances for the oxidative stress. *Journal of Health Science* **52**, 817-820.
164. LEE, M. Y., KIM, Y. K., RYOO, K. K., LEE, Y. B. & PARK, E. J. (2006). Electrolyzed-reduced water protects against oxidative damage to DNA, RNA, and protein. *Appl Biochem Biotechnol* **135**, 133-44.
165. OHSAWA, I., ISHIKAWA, M., TAKAHASHI, K., WATANABE, M., NISHIMAKI, K., YAMAGATA, K., KATSURA, K., KATAYAMA, Y., ASOH, S. & OHTA, S. (2007). Hydrogen acts as a therapeutic antioxidant by selectively reducing cytotoxic oxygen radicals. *Nat Med* **13**, 688-694.
166. KOYAMA K, T. Y., SAIHARA Y, ANDO D, GOTO Y, KATAYAMA A. (2008). Effect of hydrogen saturated alkaline electrolyzed water on urinary oxidative stress markers after an acute exercise: A randomized controlled trial. *Anti-aging Med* **4**, 117-122.

167. SCHAPIRA, A. H. (2008). Mitochondria in the aetiology and pathogenesis of Parkinson's disease. *Lancet Neurol* **7**, 97-109.
168. DIMAURO, S. (2010). Pathogenesis and treatment of mitochondrial myopathies: recent advances. *Acta Myologica* **29**, 333-8.
169. HANXU YAN, H. T., TAKEKI HAMASAKI, MASUMI ABE, NOBORU NAKAMICHI, KIICHIRO TERUYA, YOSHINORI KATAKURA, SHINKATSU MORISAWA, SANETAKA SHIRAHATA. (2010). electrolyzed reduced water prolongs caenorhabditis elegans lifespan. *Animal Cell Technology: Basic & Applied Aspects* **16**, 289-293.
170. LU, J. M., LIN, P. H., YAO, Q. Z. & CHEN, C. Y. (2010). Chemical and molecular mechanisms of antioxidants: experimental approaches and model systems. *Journal of Cellular and Molecular Medicine* **14**, 840-860.
171. WOLF, A. M., ASOH, S., HIRANUMA, H., OHSAWA, I., IIO, K., SATOU, A., ISHIKURA, M. & OHTA, S. (2010). Astaxanthin protects mitochondrial redox state and functional integrity against oxidative stress. *Journal of Nutritional Biochemistry* **21**, 381-389.
172. WU, S. B., MA, Y. S., WU, Y. T., CHEN, Y. C. & WEI, Y. H. (2010). Mitochondrial DNA mutation-elicited oxidative stress, oxidative damage, and altered gene expression in cultured cells of patients with MERRF syndrome. *Molecular Neurobiology* **41**, 256-66.
173. YAN, H., TIAN, H., KINJO, T., HAMASAKI, T., TOMIMATSU, K., NAKAMICHI, N., TERUYA, K., KABAYAMA, S. & SHIRAHATA, S. (2010). Extension of the lifespan of *Caenorhabditis elegans* by the use of electrolyzed reduced water. *Biosci Biotechnol Biochem* **74**, 2011-5.
174. YAN, H. X., TIAN, H. Z., KINJO, T., HAMASAKI, T., TOMIMATSU, K., NAKAMICHI, N., TERUYA, K., KABAYAMA, S. & SHIRAHATA, S. (2010). Extension of the Lifespan of *Caenorhabditis elegans* by the Use of Electrolyzed Reduced Water. *Bioscience Biotechnology and Biochemistry* **74**, 2011-2015.
175. BERJAK, P., SERSHEN, VARGHESE, B. & PAMMENTER, N. W. (2011). Cathodic amelioration of the adverse effects of oxidative stress accompanying procedures necessary for cryopreservation of embryonic axes of recalcitrant-seeded species. *Seed Science Research* **21**, 187-203.
176. DELMAS, D., SOLARY, E. & LATRUFFE, N. (2011). Resveratrol, a phytochemical inducer of multiple cell death pathways: apoptosis, autophagy and mitotic catastrophe. *Current Medicinal Chemistry* **18**, 1100-21.
177. ITO, M., IBI, T., SAHASHI, K., ICHIHARA, M. & OHNO, K. (2011). Open-label trial and randomized, double-blind, placebo-controlled, crossover trial of hydrogen-enriched water for mitochondrial and inflammatory myopathies. *Medical Gas Research* **1**, 24.
178. YAN, H., KINJO, T., TIAN, H., HAMASAKI, T., TERUYA, K., KABAYAMA, S. & SHIRAHATA, S. (2011). Mechanism of the lifespan extension of *Caenorhabditis elegans* by electrolyzed reduced water--participation of Pt nanoparticles. *Bioscience, Biotechnology, and Biochemistry* **75**, 1295-9.
179. OHTA, S. (2012). Molecular hydrogen is a novel antioxidant to efficiently

- reduce oxidative stress with potential for the improvement of mitochondrial diseases. *Biochimica et Biophysica Acta* **1820**, 586-94.
180. PARK, S. K., KIM, J. J., YU, A. R., LEE, M. Y. & PARK, S. K. (2012). Electrolyzed-reduced water confers increased resistance to environmental stresses. *Molecular & Cellular Toxicology* **8**, 241-247.
181. RHEEM, K. E., LIM, Y. R., LEE, B. S., LEE, S. K., SEONG, K. M., HYUN, D. H. & MIN, K. J. (2012). Does alkaline-reduced hexagonal water delay the aging process in *Drosophila*? *Geriatr Gerontol Int* **12**, 151-4.
182. JIN, Q., ZHU, K., CUI, W., XIE, Y., HAN, B. & SHEN, W. (2013). Hydrogen gas acts as a novel bioactive molecule in enhancing plant tolerance to paraquat-induced oxidative stress via the modulation of heme oxygenase-1 signalling system. *Plant Cell and Environment* **36**, 956-69.
183. QIAN, L., MEI, K., SHEN, J. & CAI, J. (2013). Administration of hydrogen-rich saline protects mice from lethal acute graft-versus-host disease (aGVHD). *Transplantation* **95**, 658-62.
184. TAGAWA, K. & ARNON, D. I. (1962). Ferredoxins as electron carriers in photosynthesis and in the biological production and consumption of hydrogen gas. *Nature* **195**, 537-43.
185. HUGENHOLTZ, P. G., SCHWARK, T., MONROE, R. G., NADAS, A. S., HAUCK, A. J. & GAMBLE, W. J. (1963). Clinical Usefulness of Hydrogen Gas as an Indicator of Left-to-Right Shunts. *Circulation* **28**, 542-&.
186. FEIGENBLUM, E. & KRASNA, A. I. (1967). Evolution of hydrogen gas from nicotinamide nucleotides by *Proteus vulgaris*. *Biochimica Et Biophysica Acta* **141**, 250-9.
187. LEVITT, M. D. (1969). Production and Excretion of Hydrogen Gas in Man. *New England Journal of Medicine* **281**, 122-&.
188. WODICK, R., LUBBERS, D. W. & GRUNEWALD, W. (1969). [Evaluation procedure for the determination of organ blood flow after breathing hydrogen gas mixtures]. *Pflugers Arch* **307**, R51.
189. ROBBA, K. H., LAFFERTY, R. M. & SCHLEGEL, H. G. (1972). [The gas supply of hydrogen bacteria in submerged culture]. *Zentralbl Bakteriol Parasitenkd Infektionskr Hyg* **127**, 649-64.
190. POOTJES, C. F. (1977). Evidence for plasmid coding of the ability to utilize hydrogen gas by *Pseudomonas facilis*. *Biochem Biophys Res Commun* **76**, 1002-6.
191. SOLOMONS, N. W., VITERI, F. E. & HAMILTON, L. H. (1977). Application of a simple gas chromatographic technique for measuring breath hydrogen. *Journal of Laboratory and Clinical Medicine* **90**, 856-62.
192. HANUS, F. J., MAIER, R. J. & EVANS, H. J. (1979). Autotrophic growth of H<sub>2</sub>-uptake-positive strains of *Rhizobium japonicum* in an atmosphere supplied with hydrogen gas. *Proc Natl Acad Sci U S A* **76**, 1788-92.
193. HANUS, F. J., MAIER, R. J. & EVANS, H. J. (1979). Autotrophic Growth of H<sub>2</sub>-Uptake-Positive Strains of *Rhizobium-Japonicum* in an Atmosphere Supplied with Hydrogen Gas. *Proceedings of the National Academy of Sciences of the*

- United States of America* **76**, 1788-1792.
194. KNAFF, D. B. (1979). Biological Generation of Hydrogen Gas. *Journal of the Electrochemical Society* **126**, C138-C138.
  195. CARTER, E. A., BLOCH, K. J., COHEN, S., ISSELBACHER, K. J. & WALKER, W. A. (1981). Use of hydrogen gas (H<sub>2</sub>) analysis to assess intestinal absorption. Studies in normal rats and in rats infected with the nematode, *Nippostrongylus brasiliensis*. *Gastroenterology* **81**, 1091-7.
  196. SANNOLO, N., VAJRO, P., DIOGUARDI, G., MENSITIERI, R. & LONGO, D. (1983). Gas chromatographic quantitation of breath hydrogen and carbon monoxide for clinical investigation in adults and in children. *Journal of Chromatography* **276**, 257-65.
  197. GRIFFIN, G. C., KWONG, L. K., MORRILL, J. S., VREMAN, H. J. & STEVENSON, D. K. (1984). Hydrogen Gas Excretion after Sucrose Gavage in the Fasted Rat. *American Journal of Clinical Nutrition* **40**, 758-762.
  198. HARADA, T., MIYAGATA, S. & SAKAMOTO, H. (1984). [Experimental study of renal blood distribution using 5-channel hydrogen gas electrode]. *Nihon Jinzo Gakkai Shi* **26**, 745-57.
  199. KONOPKA, A. & SZENTES, M. (1984). Autotrophic Growth of Gas Vacuolate Strains of *Microcycilus aquaticus* on Methanol and Hydrogen. *Appl Environ Microbiol* **47**, 870-2.
  200. NISHIWAKI, H., KO, I., SOWA, M. & UMEYAMA, K. (1984). [Endoscopic measurement of gastric mucosal blood flow by hydrogen gas generated by electrolysis--comparison with H<sub>2</sub>-inhalation method]. *Nihon Shokakibyō Gakkai Zasshi* **81**, 2925-9.
  201. AUKLAND, K. (1986). Citation-Classic - Measurement of Local Blood-Flow with Hydrogen Gas. *Current Contents/Life Sciences*, 20-20.
  202. WASHABAU, R. J., STROMBECK, D. R., BUFFINGTON, C. A. & HARROLD, D. (1986). Evaluation of Intestinal Carbohydrate Malabsorption in the Dog by Pulmonary Hydrogen Gas Excretion. *American Journal of Veterinary Research* **47**, 1402-1406.
  203. TADESSE, K., LEUNG, D. T. & LAU, S. P. (1988). A new method of expired gas collection for the measurement of breath hydrogen (H<sub>2</sub>) in infants and small children. *Acta Paediatrica Scandinavica* **77**, 55-9.
  204. CHADWICK, L. J. & IRGENS, R. L. (1991). Hydrogen Gas Production by an *Ectothiorhodospira vacuolata* Strain. *Appl Environ Microbiol* **57**, 594-6.
  205. CHRISTL, S. U., MURGATROYD, P. R., GIBSON, G. R. & CUMMINGS, J. H. (1992). Production, metabolism, and excretion of hydrogen in the large intestine. *Gastroenterology* **102**, 1269-77.
  206. CORAZZA, G. R., BENATI, G., SORGE, M., STROCCHI, A., CALZA, G. & GASBARRINI, G. (1992). beta-Galactosidase from *Aspergillus niger* in adult lactose malabsorption: a double-blind crossover study. *Alimentary Pharmacology and Therapeutics* **6**, 61-6.
  207. CORAZZA, G. R., SORGE, M., STROCCHI, A., BENATI, G., DI SARIO, A., TREGGIARI, E. A., BRUSCO, G. & GASBARRINI, G. (1992). Non-absorbable



- antibiotics and small bowel bacterial overgrowth. *Italian Journal of Gastroenterology* **24**, 4-9.
208. STROCCHI, A. & LEVITT, M. D. (1992). Maintaining intestinal H<sub>2</sub> balance: credit the colonic bacteria. *Gastroenterology* **102**, 1424-6.
209. FLORIN, T. H. & JABBAR, I. A. (1994). A possible role for bile acid in the control of methanogenesis and the accumulation of hydrogen gas in the human colon. *J Gastroenterol Hepatol* **9**, 112-7.
210. KAYAR, S. R., AXLEY, M. J., HOMER, L. D. & HARABIN, A. L. (1994). Hydrogen gas is not oxidized by mammalian tissues under hyperbaric conditions. *Undersea Hyperb Med* **21**, 265-75.
211. KAYAR, S. R., AXLEY, M. J., HOMER, L. D. & HARABIN, A. L. (1994). Hydrogen Gas Is Not Oxidized by Mammalian-Tissues under Hyperbaric Conditions. *Undersea & Hyperbaric Medicine* **21**, 265-275.
212. MATTINGLY, S. M. & WOODWARD, J. (1996). Enzymatic production of hydrogen gas from glucose and cellulose. *Abstracts of Papers of the American Chemical Society* **211**, 39-BTEC.
213. WONG, F. H., YEUNG, C. Y., FUNG, K. W. & TAM, A. Y. (1996). Breath hydrogen (H<sub>2</sub>) analysis in southern Chinese children and infants by gas chromatography and a novel automatic sampling system. *Singapore Med J* **37**, 72-81.
214. AOYAMA, K., UEMURA, I., MIYAKE, J. & ASADA, Y. (1997). Fermentative metabolism to produce hydrogen gas and organic compounds in a cyanobacterium, *Spirulina platensis*. *Journal of Fermentation and Bioengineering* **83**, 17-20.
215. FANDRIKS, L., VON BOTHMER, C., JOHANSSON, B., HOLM, M., BOLIN, I. & PETTERSSON, A. (1997). Water extract of *Helicobacter pylori* inhibits duodenal mucosal alkaline secretion in anesthetized rats. *Gastroenterology* **113**, 1570-5.
216. ABDEL-BASSET, R. & BADER, K. P. (1998). Physiological analyses of the hydrogen gas exchange in cyanobacteria. *Journal of Photochemistry and Photobiology B-Biology* **43**, 146-151.
217. ABDEL-BASSET, R. & BADER, K. P. (1999). Effects of stress conditions and calcium on the light-induced hydrogen gas exchange in *Oscillatoria chalybea*. *Journal of Plant Physiology* **155**, 86-92.
218. SARNBLAD, S. & LINDQUIST, B. (1999). [Lactose intolerance in children. An analysis of hydrogen gas in exhaled air simplifies and improves diagnosis]. *Lakartidningen* **96**, 1180-3.
219. MELIS, A., ZHANG, L., FORESTIER, M., GHIRARDI, M. L. & SEIBERT, M. (2000). Sustained photobiological hydrogen gas production upon reversible inactivation of oxygen evolution in the green alga *Chlamydomonas reinhardtii*. *Plant Physiology* **122**, 127-36.
220. WUNSCHIERS, R. (2000). Light dependent production of hydrogen gas by green algae. The future energy carrier in the classroom? *Journal of Biological Education* **34**, 214-217.

221. EVVYERNIE, D., MORIMOTO, K., KARITA, S., KIMURA, T., SAKKA, K. & OHMIYA, K. (2001). Conversion of chitinous wastes to hydrogen gas by *Clostridium paraputrificum* M-21. *J Biosci Bioeng* **91**, 339-43.
222. TAKAI, K., KOMATSU, T. & HORIKOSHI, K. (2001). *Hydrogenobacter subterraneus* sp. nov., an extremely thermophilic, heterotrophic bacterium unable to grow on hydrogen gas, from deep subsurface geothermal water. *Int J Syst Evol Microbiol* **51**, 1425-35.
223. OLSON, J. W. & MAIER, R. J. (2002). Molecular hydrogen as an energy source for *Helicobacter pylori*. *Science* **298**, 1788-90.
224. EMBLEY, T. M., VAN DER GIEZEN, M., HORNER, D. S., DYAL, P. L., BELL, S. & FOSTER, P. G. (2003). Hydrogenosomes, mitochondria and early eukaryotic evolution. *IUBMB Life* **55**, 387-95.
225. OKU, T. & NAKAMURA, S. (2003). Comparison of digestibility and breath hydrogen gas excretion of fructo-oligosaccharide, galactosyl-sucrose, and isomalto-oligosaccharide in healthy human subjects. *European Journal of Clinical Nutrition* **57**, 1150-1156.
226. MNATSAKANYAN, N., BAGRAMYAN, K. & TRCHOUNIAN, A. (2004). Hydrogenase 3 but not hydrogenase 4 is major in hydrogen gas production by *Escherichia coli* formate hydrogenlyase at acidic pH and in the presence of external formate. *Cell Biochemistry and Biophysics* **41**, 357-365.
227. SOBKO, T., NORMAN, M., NORIN, E., GUSTAFSSON, L. E. & LUNDBERG, J. (2004). Intra-luminal measurements of intestinal nitric oxide and hydrogen gas in newborn: a new method to study host-microbial interactions. *Nitric Oxide-Biology and Chemistry* **11**, 100-100.
228. MORIMOTO, K., KIMURA, T., SAKKA, K. & OHMIYA, K. (2005). Overexpression of a hydrogenase gene in *Clostridium paraputrificum* to enhance hydrogen gas production. *Fems Microbiology Letters* **246**, 229-34.
229. PELLELY, J. (2005). Sunlight turns landfill gas into hydrogen. *Environmental Science & Technology* **39**, 440A.
230. SAKKA, M., KIMURA, T., OHMIYA, K. & SAKKA, K. (2005). Detection of hydrogen gas-producing anaerobes in refuse-derived fuel (RDF) pellets. *Biosci Biotechnol Biochem* **69**, 2081-5.
231. SOBKO, T., NORMAN, M., NORIN, E., GUSTAFSSON, L. E. & LUNDBERG, J. O. (2005). Birth-related increase in intracolonic hydrogen gas and nitric oxide as indicator of host-microbial interactions. *Allergy* **60**, 396-400.
232. ROADCAP, G. S., SANFORD, R. A., JIN, Q., PARDINAS, J. R. & BETHKE, C. M. (2006). Extremely alkaline (pH > 12) ground water hosts diverse microbial community. *Ground Water* **44**, 511-7.
233. URITA, Y., ISHIHARA, S., DOMON, K., YANAGISAWA, T., OKAZAKI, T., MAEDA, T., AKIMOTO, T., KATO, H., HARA, N., HONDA, Y., NAGAI, Y., NAKANISHI, K., SHIMADA, N., SUGIMOTO, M. & MIKI, K. (2006). Change in breath hydrogen concentration reflects movement of intestinal gas in patients with small-bowel pseudo-obstruction. *American Journal of Gastroenterology* **101**, S140-S141.

234. MAIMAITI, J., ZHANG, Y., YANG, J., CEN, Y. P., LAYZELL, D. B., PEOPLES, M. & DONG, Z. (2007). Isolation and characterization of hydrogen-oxidizing bacteria induced following exposure of soil to hydrogen gas and their impact on plant growth. *Environmental Microbiology* **9**, 435-44.
235. LOGAN, B. E., CALL, D., CHENG, S., HAMELERS, H. V., SLEUTELS, T. H., JEREMIASSE, A. W. & ROZENDAL, R. A. (2008). Microbial electrolysis cells for high yield hydrogen gas production from organic matter. *Environmental Science & Technology* **42**, 8630-40.
236. URITA, Y., WATANABE, T., MAEDA, T., ARITA, T., SASAKI, Y., ISHII, T., YAMAMOTO, T., KUGAHARA, A., NAKAYAMA, A., NANAMI, M., DOMON, K., ISHIHARA, S., KATO, H., HIKE, K., HARA, N., WATANABE, S., NAKANISHI, K., SUGIMOTO, M. & MIKI, K. (2008). Extensive Atrophic Gastritis Increases Intraduodenal Hydrogen Gas. *Gastroenterology Research and Practice*.
237. URITA, Y., WATANABE, T., MAEDA, T., SASAKI, Y., ISHII, T., YAMAMOTO, T., KUGAHARA, A., NAKAYAMA, A., NANAMI, M., DOMON, K., ISHIHARA, S., KATO, H., HIKE, K., SANAKA, M., NAKAJIMA, H., SUGIMOTO, M. & MIKI, K. (2008). Extensive atrophic gastritis linked to increased levels of intraluminal hydrogen gas. *Hepatogastroenterology* **55**, 1645-8.
238. URITA, Y., WATANABE, T., MAEDA, T., SASAKI, Y., ISHII, T., YAMAMOTO, T., KUGAHARA, A., NAKAYAMA, A., NANAMI, M., DOMON, K., ISHIHARA, S., KATO, H., HIKE, K., SANAKA, M., NAKAJIMA, H., SUGIMOTO, M. & MIKI, K. (2008). Extensive Atrophic Gastritis Linked to Increased Levels of Intraluminal Hydrogen Gas. *Hepato-Gastroenterology* **55**, 1645-1648.
239. ONWUDILI, J. A. & WILLIAMS, P. T. (2009). Role of sodium hydroxide in the production of hydrogen gas from the hydrothermal gasification of biomass. *International Journal of Hydrogen Energy* **34**, 5645-5656.
240. SCHIRRU, E., USAI-SATTA, P., JORES, R. D. & CONGIA, M. (2009). Lactose malabsorption: Genetic testing versus lactose hydrogen breath test. *Dig Liver Dis*.
241. SHIMOUCHI, A., NOSE, K., TAKAOKA, M., HAYASHI, H. & KONDO, T. (2009). Effect of Dietary Turmeric on Breath Hydrogen. *Digestive Diseases and Sciences* **54**, 1725-1729.
242. SHIMOUCHI, A., NOSE, K., YAMAGUCHI, M., ISHIGURO, H. & KONDO, T. (2009). Breath Hydrogen Produced by Ingestion of Commercial Hydrogen Water and Milk. *Biomarker Insights* **4**, 27-32.
243. SUZUKI, Y., SANO, M., HAYASHIDA, K., OHSAWA, I., OHTA, S. & FUKUDA, K. (2009). Are the effects of alpha-glucosidase inhibitors on cardiovascular events related to elevated levels of hydrogen gas in the gastrointestinal tract? *FEBS Letters* **583**, 2157-9.
244. URITA, Y., WATANABE, T., MAEDA, T., SASAKI, Y., ISHIHARA, S., HIKE, K., SANAKA, M., NAKAJIMA, H. & SUGIMOTO, M. (2009). Breath Hydrogen Gas Concentration Linked to Intestinal Gas Distribution and Malabsorption in Patients with Small-bowel Pseudo-obstruction. *Biomark Insights* **4**, 9-15.

245. HAO, Q. L., WANG, C., LU, D. Q., WANG, Y., LI, D. & LI, G. J. (2010). Production of hydrogen-rich gas from plant biomass by catalytic pyrolysis at low temperature. *International Journal of Hydrogen Energy* **35**, 8884-8890.
246. HUANG, J. J., HEINIGER, E. K., MCKINLAY, J. B. & HARWOOD, C. S. (2010). Production of hydrogen gas from light and the inorganic electron donor thiosulfate by *Rhodospseudomonas palustris*. *Appl Environ Microbiol* **76**, 7717-22.
247. KANAZURU, T., SATO, E. F., NAGATA, K., MATSUI, H., WATANABE, K., KASAHARA, E., JIKUMARU, M., INOUE, J. & INOUE, M. (2010). Role of Hydrogen Generation by *Klebsiella pneumoniae* in the Oral Cavity. *Journal of Microbiology* **48**, 778-783.
248. MCKINLAY, J. B. & HARWOOD, C. S. (2010). Photobiological production of hydrogen gas as a biofuel. *Curr Opin Biotechnol* **21**, 244-51.
249. XIE, K. L., YU, Y. H., ZHANG, Z. S., LIU, W. B., PEI, Y. P., XIONG, L. Z., HOU, L. C. & WANG, G. L. (2010). Hydrogen gas improves survival rate and organ damage in zymosan-induced generalized inflammation model. *Shock* **34**, 495-501.
250. CHEN, X., ZUO, Q., HAI, Y. & SUN, X. J. (2011). Lactulose: an indirect antioxidant ameliorating inflammatory bowel disease by increasing hydrogen production. *Medical Hypotheses* **76**, 325-7.
251. GURLEY, B. J. (2011). Emerging technologies for improving phytochemical bioavailability: benefits and risks. *Clinical Pharmacology and Therapeutics* **89**, 915-9.
252. KARMAKAR, M. K. & DATTA, A. B. (2011). Generation of hydrogen rich gas through fluidized bed gasification of biomass. *Bioresour Technol* **102**, 1907-13.
253. MATTHEWS, S. L. & HEINEKEY, D. M. (2011). An oxidized active site model for the FeFe hydrogenase: reduction with hydrogen gas. *Inorganic Chemistry* **50**, 7925-7.
254. GHANIZADEH, A. (2012). Physical exercise and intermittent administration of lactulose may improve autism symptoms through hydrogen production. *Medical Gas Research* **2**, 19.
255. HEINIGER, E. K., ODA, Y., SAMANTA, S. K. & HARWOOD, C. S. (2012). How posttranslational modification of nitrogenase is circumvented in *Rhodospseudomonas palustris* strains that produce hydrogen gas constitutively. *Appl Environ Microbiol* **78**, 1023-32.
256. KARGI, F., EREN, N. S. & OZMIHCI, S. (2012). Effect of initial bacteria concentration on hydrogen gas production from cheese whey powder solution by thermophilic dark fermentation. *Biotechnol Prog* **28**, 931-6.
257. SHIMOUCHI, A., NOSE, K., SHIRAI, M. & KONDO, T. (2012). Estimation of molecular hydrogen consumption in the human whole body after the ingestion of hydrogen-rich water. *Oxygen Transport to Tissue Xxi* **737**, 245-50.
258. XIE, Y., MAO, Y., LAI, D., ZHANG, W. & SHEN, W. (2012). H<sub>2</sub> enhances arabidopsis salt tolerance by manipulating ZAT10/12-mediated antioxidant defence and controlling sodium exclusion. *PLoS One* **7**, e49800.

259. CHEN, X., ZHAI, X., SHI, J., LIU, W. W., TAO, H., SUN, X. & KANG, Z. (2013). Lactulose Mediates Suppression of Dextran Sodium Sulfate-Induced Colon Inflammation by Increasing Hydrogen Production. *Dig Dis Sci*.
260. XU, S., SUSONG ZHU, YILONG JIANG, NING WANG, REN WANG, WENBIAO SHEN, AND JIE YANG. (2013). Hydrogen-rich water alleviates salt stress in rice during seed germination. *Plant and Soil*, 1-11.
261. WATANABE, T., KISHIKAWA, Y. & SHIRAI, W. (1997). Influence of alkaline ionized water on rat erythrocyte hexokinase activity and myocardium. *J Toxicol Sci* **22**, 141-52.
262. WATANABE, T. & KISHIKAWA, Y. (1998). Degradation of myocardiac myosin and creatine kinase in rats given alkaline ionized water. *J Vet Med Sci* **60**, 245-50.
263. WATANABE, T., SHIRAI, W., PAN, I., FUKUDA, Y., MURASUGI, E., SATO, T., KAMATA, H. & UWATOKO, K. (1998). Histopathological influence of alkaline ionized water on myocardial muscle of mother rats. *J Toxicol Sci* **23**, 411-7.
264. QIAN, L. R., CAO, F., CUI, J. G., WANG, Y. C., HUANG, Y. C., CHUAI, Y. H., ZHAO, L. Q., JIANG, H. & CAI, J. M. (2010). The Potential Cardioprotective Effects of Hydrogen in Irradiated Mice. *Journal of Radiation Research* **51**, 741-747.
265. HAYASHI, T., YOSHIOKA, T., HASEGAWA, K., MIYAMURA, M., MORI, T., UKIMURA, A., MATSUMURA, Y. & ISHIZAKA, N. (2011). Inhalation of hydrogen gas attenuates left ventricular remodeling induced by intermittent hypoxia in mice. *American Journal of Physiology - Heart and Circulatory Physiology* **301**, H1062-9.
266. KASUYAMA, K., TOMOFUJI, T., EKUNI, D., TAMAKI, N., AZUMA, T., IRIE, K., ENDO, Y. & MORITA, M. (2011). Hydrogen-rich water attenuates experimental periodontitis in a rat model. *J Clin Periodontol* **38**, 1085-90.
267. HAYASHIDA, K., SANO, M., KAMIMURA, N., YOKOTA, T., SUZUKI, M., MAEKAWA, Y., KAWAMURA, A., ABE, T., OHTA, S., FUKUDA, K. & HORI, S. (2012). H(2) gas improves functional outcome after cardiac arrest to an extent comparable to therapeutic hypothermia in a rat model. *J Am Heart Assoc* **1**, e003459.
268. NODA, K., TANAKA, Y., SHIGEMURA, N., KAWAMURA, T., WANG, Y., MASUTANI, K., SUN, X., TOYODA, Y., BERMUDEZ, C. A. & NAKAO, A. (2012). Hydrogen-supplemented drinking water protects cardiac allografts from inflammation-associated deterioration. *Transpl Int* **25**, 1213-22.
269. QIN, Z. X., YU, P., QIAN, D. H., SONG, M. B., TAN, H., YU, Y., LI, W., WANG, H., LIU, J., WANG, Q., SUN, X. J., JIANG, H., ZHU, J. K., LU, W. & HUANG, L. (2012). Hydrogen-rich saline prevents neointima formation after carotid balloon injury by suppressing ROS and the TNF-alpha/NF-kappaB pathway. *Atherosclerosis* **220**, 343-50.
270. SAKAI, K., CHO, S., SHIBATA, I., YOSHITOMI, O., MAEKAWA, T. & SUMIKAWA, K. (2012). Inhalation of hydrogen gas protects against myocardial

- stunning and infarction in swine. *Scandinavian Cardiovascular Journal* **46**, 183-9.
271. SUN, Q., KAWAMURA, T., MASUTANI, K., PENG, X., STOLZ, D. B., PRIBIS, J. P., BILLIAR, T. R., SUN, X., BERMUDEZ, C. A., TOYODA, Y. & NAKAO, A. (2012). Oral intake of hydrogen-rich water inhibits intimal hyperplasia in arterialized vein grafts in rats. *Cardiovasc Res* **94**, 144-53.
272. YOSHIDA, A., ASANUMA, H., SASAKI, H., SANADA, S., YAMAZAKI, S., ASANO, Y., SHINOZAKI, Y., MORI, H., SHIMOUCI, A., SANO, M., ASAKURA, M., MINAMINO, T., TAKASHIMA, S., SUGIMACHI, M., MOCHIZUKI, N. & KITAKAZE, M. (2012). H(2) mediates cardioprotection via involvements of K(ATP) channels and permeability transition pores of mitochondria in dogs. *Cardiovasc Drugs Ther* **26**, 217-26.
273. FUJII, Y., SHIRAI, M., INAMORI, S., SHIMOUCI, A., SONOBE, T., TSUCHIMOCHI, H., PEARSON, J. T., TAKEWA, Y., TATSUMI, E. & TAENAKA, Y. (2013). Insufflation of hydrogen gas restrains the inflammatory response of cardiopulmonary bypass in a rat model. *Artif Organs* **37**, 136-41.
274. NAGATANI, K., TAKEUCHI, S., KOBAYASHI, H., OTANI, N., WADA, K., FUJITA, M., NAWASHIRO, H., TACHIBANA, S. & SHIMA, K. (2013). The Effect of Hydrogen Gas on a Mouse Bilateral Common Carotid Artery Occlusion. *Brain Edema XV*
275. *Acta Neurochirurgica Supplement*
276. DOI, K., SUZUKI, Y., NAKAO, A., FUJITA, T. & NOIRI, E. (2004). Radical scavenger edaravone developed for clinical use ameliorates ischemia/reperfusion injury in rat kidney. *Kidney International* **65**, 1714-23.
277. FUKUDA, K., ASOH, S., ISHIKAWA, M., YAMAMOTO, Y., OHSAWA, I. & OHTA, S. (2007). Inhalation of hydrogen gas suppresses hepatic injury caused by ischemia/reperfusion through reducing oxidative stress. *Biochem Biophys Res Commun* **361**, 670-674.
278. MATCHETT, G. A., CALINISAN, J. B., MATCHETT, G. C., MARTIN, R. D. & ZHANG, J. H. (2007). The effect of granulocyte-colony stimulating factor in global cerebral ischemia in rats. *Brain Research* **1136**, 200-7.
279. YATA, K., MATCHETT, G. A., TSUBOKAWA, T., TANG, J., KANAMARU, K. & ZHANG, J. H. (2007). Granulocyte-colony stimulating factor inhibits apoptotic neuron loss after neonatal hypoxia-ischemia in rats. *Brain Research* **1145**, 227-38.
280. CAI, J., KANG, Z., LIU, W. W., LUO, X., QIANG, S., ZHANG, J. H., OHTA, S., SUN, X., XU, W., TAO, H. & LI, R. (2008). Hydrogen therapy reduces apoptosis in neonatal hypoxia-ischemia rat model. *Neurosci Lett* **441**, 167-172.
281. HAYASHIDA, K., SANO, M., KIMURA, K., ENDO, J., KATAYAMA, T., TOKUDOME, S., ONIZUKA, T., YUASA, S., KAWAMURA, A., OGAWA, S. & FUKUDA, K. (2008). Inhalation of hydrogen gas protects the heart from ischemic reperfusion injury. *Journal of the American College of Cardiology* **51**, A375-A375.
282. HAYASHIDA, K., SANO, M., OHSAWA, I., SHINMURA, K., TAMAKI, K., KIMURA, K., ENDO, J., KATAYAMA, T., KAWAMURA, A., KOHSAKA, S., MAKINO, S., OHTA, S., OGAWA, S. & FUKUDA, K. (2008). Inhalation of

- hydrogen gas reduces infarct size in the rat model of myocardial ischemia-reperfusion injury. *Biochem Biophys Res Commun* **373**, 30-35.
283. HAYASHIDA, K., SANO, M., OHSAWA, I., SHINMURA, K., TAMAKI, K., KIMURA, K., ENDO, J., KATAYAMA, T., OHTA, S., OGAWA, S. & FUKUDA, K. (2008). Inhalation of Hydrogen Gas Reduces Infarct Size in the Rat Model of Myocardial Ischemia-Reperfusion Injury. *Circulation Research* **103**, E59-E60.
284. HAYASHIDA, K., SANO, M., OHSAWA, I., SHINMURA, K., TAMAKI, K., KIMURA, K., ENDO, J., OHTA, S., FUKUDA, K. & OGAWA, S. (2008). Inhalation of hydrogen gas reduces infarct size in the rat model of myocardial ischemia-reperfusion injury. *Journal of Cardiac Failure* **14**, S168-S168.
285. KATSURA, K. I., TAKAHASHI, K., ASOH, S., WATANABE, M., SAKURAZAWA, M., OHSAWA, I., MORI, T., IGARASHI, H., OHKUBO, S., KATAYAMA, Y. & OHTA, S. (2008). Combination therapy with transductive anti-death FNK protein and FK506 ameliorates brain damage with focal transient ischemia in rat. *Journal of Neurochemistry* **106**, 258-270.
286. KUROKI, C., TOKUMARU, O., OGATA, K. & YOKOI, I. (2008). Neuroprotective effects of hydrogen gas on brain in hypoxic stress model and ischemia-reperfusion model: A P-31 NMR study. *Neuroscience Research* **61**, S274-S274.
287. CAI, J. M., KANG, Z. M., LIU, K., LIU, W. W., LI, R. P., ZHANG, J. H., LUO, X. & SUN, X. J. (2009). Neuroprotective effects of hydrogen saline in neonatal hypoxia-ischemia rat model. *Brain Res* **1256**, 129-137.
288. KUROKI, C., TOKUMARU, O., OGATA, K., KOGA, H. & YOKOI, I. (2009). Neuroprotective Effects of Hydrogen Gas on Brain in Ischemia-Reperfusion Model: A P-31-Nmr Study. *Journal of Physiological Sciences* **59**, 371-371.
289. MAO, Y. F., ZHENG, X. F., CAI, J. M., YOU, X. M., DENG, X. M., ZHANG, J. H., JIANG, L. & SUN, X. J. (2009). Hydrogen-rich saline reduces lung injury induced by intestinal ischemia/reperfusion in rats. *Biochem Biophys Res Commun* **381**, 602-5.
290. MATCHETT, G. A., FATHALI, N., HASEGAWA, Y., JADHAV, V., OSTROWSKI, R. P., MARTIN, R. D., DOROTTA, I. R., SUN, X. & ZHANG, J. H. (2009). Hydrogen gas is ineffective in moderate and severe neonatal hypoxia-ischemia rat models. *Brain Research* **1259**, 90-7.
291. SUN, Q., KANG, Z. M., CAI, J. M., LIU, W. W., LIU, Y., ZHANG, J. H., DENOBLE, P. J., TAO, H. Y. & SUN, X. J. (2009). Hydrogen-Rich Saline Protects Myocardium Against Ischemia/Reperfusion Injury in Rats. *Experimental Biology and Medicine* **234**, 1212-1219.
292. ZHENG, X., MAO, Y., CAI, J., LI, Y., LIU, W., SUN, P., ZHANG, J. H., SUN, X. & YUAN, H. (2009). Hydrogen-rich saline protects against intestinal ischemia/reperfusion injury in rats. *Free Radic Res* **43**, 478-84.
293. CHEN, C. H., MANAENKO, A., ZHAN, Y., LIU, W. W., OSTROWKI, R. P., TANG, J. & ZHANG, J. H. (2010). Hydrogen Gas Reduced Acute Hyperglycemia-Enhanced Hemorrhagic Transformation in a Focal Ischemia Rat Model. *Neuroscience* **169**, 402-414.

294. KAWAMURA, T., HUANG, C. S., TOCHIGI, N., LEE, S., SHIGEMURA, N., BILLIAR, T. R., OKUMURA, M., NAKAO, A. & TOYODA, Y. (2010). Inhaled Hydrogen Gas Therapy for Prevention of Lung Transplant-Induced Ischemia/Reperfusion Injury in Rats. *Transplantation* **90**, 1344-1351.
295. NAKAO, A., KACZOROWSKI, D. J., WANG, Y., CARDINAL, J. S., BUCHHOLZ, B. M., SUGIMOTO, R., TOBITA, K., LEE, S., TOYODA, Y., BILLIAR, T. R. & MCCURRY, K. R. (2010). Amelioration of rat cardiac cold ischemia/reperfusion injury with inhaled hydrogen or carbon monoxide, or both. *The Journal of heart and lung transplantation : the official publication of the International Society for Heart Transplantation* **29**, 544-53.
296. SHINGU, C., KOGA, H., HAGIWARA, S., MATSUMOTO, S., GOTO, K., YOKOI, I. & NOGUCHI, T. (2010). Hydrogen-rich saline solution attenuates renal ischemia-reperfusion injury. *Journal of Anesthesia* **24**, 569-574.
297. XIANG, J., TANG, Y. P., WU, P., GAO, J. P. & CAI, D. F. (2010). Chinese medicine Nao-Shuan-Tong attenuates cerebral ischemic injury by inhibiting apoptosis in a rat model of stroke. *Journal of Ethnopharmacology* **131**, 174-181.
298. CHEN, H., SUN, Y. P., HU, P. F., LIU, W. W., XIANG, H. G., LI, Y., YAN, R. L., SU, N., RUAN, C. P., SUN, X. J. & WANG, Q. (2011). The effects of hydrogen-rich saline on the contractile and structural changes of intestine induced by ischemia-reperfusion in rats. *Journal of Surgical Research* **167**, 316-22.
299. ELTZSCHIG, H. K. & ECKLE, T. (2011). Ischemia and reperfusion--from mechanism to translation. *Nature Medicine* **17**, 1391-401.
300. HUANG, Y., XIE, K., LI, J., XU, N., GONG, G., WANG, G., YU, Y., DONG, H. & XIONG, L. (2011). Beneficial effects of hydrogen gas against spinal cord ischemia-reperfusion injury in rabbits. *Brain Research* **1378**, 125-36.
301. HUANG, Y., XIE, K. L., LI, J. P., XU, N., GONG, G., WANG, G. L., YU, Y. H., DONG, H. L. & XIONG, L. Z. (2011). Beneficial effects of hydrogen gas against spinal cord ischemia-reperfusion injury in rabbits. *Brain Research* **1378**, 125-136.
302. HUGYECZ, M., MRACSKO, E., HERTELENDY, P., FARKAS, E., DOMOKI, F. & BARI, F. (2011). Hydrogen supplemented air inhalation reduces changes of prooxidant enzyme and gap junction protein levels after transient global cerebral ischemia in the rat hippocampus. *Brain Research* **1404**, 31-8.
303. JI, Q., HUI, K., ZHANG, L., SUN, X., LI, W. & DUAN, M. (2011). The effect of hydrogen-rich saline on the brain of rats with transient ischemia. *Journal of Surgical Research* **168**, e95-e101.
304. JIAO, L., ZHANG, J., LI, Z., LIU, H., CHEN, Y. & XU, S. (2011). Edaravone alleviates delayed neuronal death and long-dated cognitive dysfunction of hippocampus after transient focal ischemia in Wistar rat brains. *Neuroscience* **182**, 177-83.
305. LIU, Y., LIU, W., SUN, X., LI, R., SUN, Q., CAI, J., KANG, Z., LV, S., ZHANG, J. H. & ZHANG, W. (2011). Hydrogen saline offers neuroprotection by reducing oxidative stress in a focal cerebral ischemia-reperfusion rat model.



- Medical Gas Research* **1**, 15.
306. WANG, F., YU, G., LIU, S. Y., LI, J. B., WANG, J. F., BO, L. L., QIAN, L. R., SUN, X. J. & DENG, X. M. (2011). Hydrogen-Rich Saline Protects Against Renal Ischemia/Reperfusion Injury in Rats. *Journal of Surgical Research* **167**, e339-44.
307. WEIS, S. N., SCHUNCK, R. V., PETTENUZZO, L. F., KROLOW, R., MATTE, C., MANFREDINI, V., DO CARMO, R. P. M., VARGAS, C. R., DALMAZ, C., WYSE, A. T. & NETTO, C. A. (2011). Early biochemical effects after unilateral hypoxia-ischemia in the immature rat brain. *International Journal of Developmental Neuroscience* **29**, 115-20.
308. ZHANG, Y., SUN, Q., HE, B., XIAO, J., WANG, Z. & SUN, X. (2011). Anti-inflammatory effect of hydrogen-rich saline in a rat model of regional myocardial ischemia and reperfusion. *International Journal of Cardiology* **148**, 91-5.
309. ZHU, W. J., NAKAYAMA, M., MORI, T., NAKAYAMA, K., KATOH, J., MURATA, Y., SATO, T., KABAYAMA, S. & ITO, S. (2011). Intake of water with high levels of dissolved hydrogen (H<sub>2</sub>) suppresses ischemia-induced cardio-renal injury in Dahl salt-sensitive rats. *Nephrology, Dialysis, Transplantation* **26**, 2112-8.
310. GE, P., ZHAO, J., LI, S., DING, Y., YANG, F. & LUO, Y. (2012). Inhalation of hydrogen gas attenuates cognitive impairment in transient cerebral ischemia via inhibition of oxidative stress. *Neurological Research* **34**, 187-94.
311. JIANG, D., WU, D., ZHANG, Y., XU, B., SUN, X. & LI, Z. (2012). Protective effects of hydrogen rich saline solution on experimental testicular ischemia-reperfusion injury in rats. *J Urol* **187**, 2249-53.
312. LEE, J. W., KIM, J. I., LEE, Y. A., LEE, D. H., SONG, C. S., CHO, Y. J. & HAN, J. S. (2012). Inhaled hydrogen gas therapy for prevention of testicular ischemia/reperfusion injury in rats. *Journal of Pediatric Surgery* **47**, 736-742.
313. LI, H., ZHOU, R., LIU, J., LI, Q., ZHANG, J., MU, J. & SUN, X. (2012). Hydrogen-rich saline attenuates lung ischemia-reperfusion injury in rabbits. *Journal of Surgical Research* **174**, e11-6.
314. LI, J., DONG, Y., CHEN, H., HAN, H., YU, Y., WANG, G., ZENG, Y. & XIE, K. (2012). Protective effects of hydrogen-rich saline in a rat model of permanent focal cerebral ischemia via reducing oxidative stress and inflammatory cytokines. *Brain Research* **1486**, 103-11.
315. NAGATANI, K., TAKEUCHI, S., OTANI, N., WADA, K. & NAWASHIRO, H. (2012). Effect of Hydrogen Gas on the Survival Rate of Mice Following Global Cerebral Ischemia. *Shock* **37**(6):645-652, 2012 Reply. *Shock* **38**, 444-445.
316. NAGATANI, K., WADA, K., TAKEUCHI, S., KOBAYASHI, H., UOZUMI, Y., OTANI, N., FUJITA, M., TACHIBANA, S. & NAWASHIRO, H. (2012). Effect of hydrogen gas on the survival rate of mice following global cerebral ischemia. *Shock* **37**, 645-52.
317. NAGATANI, K., WADA, K., TAKEUCHI, S., KOBAYASHI, H., UOZUMI, Y., OTANI, N., FUJITA, M., TACHIBANA, S. & NAWASHIRO, H. (2012). Effect of Hydrogen Gas on the Survival Rate of Mice Following Global Cerebral Ischemia.

*Shock* **37**, 645-652.

318. ONO, H., NISHIJIMA, Y., ADACHI, N., SAKAMOTO, M., KUDO, Y., KANEKO, K., NAKAO, A. & IMAOKA, T. (2012). A basic study on molecular hydrogen (H<sub>2</sub>) inhalation in acute cerebral ischemia patients for safety check with physiological parameters and measurement of blood H<sub>2</sub> level. *Medical Gas Research* **2**, 21.
319. ZHANG, J., LIU, C., TAI, M. & QU, K. (2012). Effect of hydrogen gas on the survival rate of mice following global cerebral ischemia (*Shock* 37(6), 645-652, 2012). *Shock* **38**, 444; author reply 444-5.
320. ZHANG, J. Y., LIU, C., TAI, M. H. & QU, K. (2012). Effect of Hydrogen Gas on the Survival Rate of Mice Following Global Cerebral Ischemia. *Shock* 37(6):645-652, 2012. *Shock* **38**, 444-444.
321. ZHAO, L., WANG, Y. B., QIN, S. R., MA, X. M., SUN, X. J., WANG, M. L. & ZHONG, R. G. (2013). Protective effect of hydrogen-rich saline on ischemia/reperfusion injury in rat skin flap. *J Zhejiang Univ Sci B* **14**, 382-91.
322. ZHOU, L., WANG, X., XUE, W., XIE, K., HUANG, Y., CHEN, H., GONG, G. & ZENG, Y. (2013). Beneficial effects of hydrogen-rich saline against spinal cord ischemia-reperfusion injury in rabbits. *Brain Research* **1517**, 150-60.
323. HUANG, K. C., YANG, C. C., LEE, K. T. & CHIEN, C. T. (2003). Reduced hemodialysis-induced oxidative stress in end-stage renal disease patients by electrolyzed reduced water. *Kidney Int* **64**, 704-14.
324. HUANG, K. C., YANG, C. C., HSU, S. P., LEE, K. T., LIU, H. W., MORISAWA, S., OTSUBO, K. & CHIEN, C. T. (2006). Electrolyzed-reduced water reduced hemodialysis-induced erythrocyte impairment in end-stage renal disease patients. *Kidney Int* **70**, 391-8.
325. LU, K. C., TSENG, C. F., YEUNG, L. K., HSU, S. P. & CHIEN, C. T. (2006). Electrolyzed reduced water attenuates hemodialysis-induced mononuclear cells apoptosis in end-stage renal disease patients. *Nephrology Dialysis Transplantation* **21**, 200-201.
326. YEUNG, L. K., LU, K. C., TSENG, C. F., HSU, S. P. & CHIEN, C. T. (2006). Effect of electrolyzed reduced water hemodialysis on peripheral lymphocyte intracellular cytokine expression. *Nephrology Dialysis Transplantation* **21**, 204-204.
327. NAKAYAMA, M., KABAYAMA, S., TERAWAKI, H., NAKAYAMA, K., KATO, K., SATO, T. & ITO, S. (2007). Less-oxidative hemodialysis solution rendered by cathode-side application of electrolyzed water. *Hemodial Int* **11**, 322-7.
328. YUSUKE OHSAKI<sup>1</sup>, T. M., <sup>2</sup>, YOSHIMI YONEKI<sup>1</sup>, SATOSHI ENDO<sup>1</sup>, TAKUMA HOSOYA<sup>1</sup>, WANJUN ZHU<sup>3</sup>, MASAOKI NAKAYAMA<sup>3</sup> AND SADAYOSHI ITO<sup>1</sup>. (2008). Electrolyzed water reduces urinary protein excretion in the streptozotocin induced diabetic Dahl salt sensitive rats. *The FASEB Journal*.
329. NAKASHIMA-KAMIMURA, N., MORI, T., OHSAWA, I., ASOH, S. & OHTA, S. (2009). Molecular hydrogen alleviates nephrotoxicity induced by an anti-

- cancer drug cisplatin without compromising anti-tumor activity in mice. *Cancer Chemother Pharmacol*.
330. NAKAYAMA, M., KABAYAMA, S., NAKANO, H., ZHU, W. J., TERAWAKI, H., NAKAYAMA, K., KATOH, K., SATOH, T. & ITO, S. (2009). Biological Effects of Electrolyzed Water in Hemodialysis. *Nephron Clinical Practice* **112**, C9-C15.
331. CARDINAL, J. S., ZHAN, J., WANG, Y., SUGIMOTO, R., TSUNG, A., MCCURRY, K. R., BILLIAR, T. R. & NAKAO, A. (2010). Oral hydrogen water prevents chronic allograft nephropathy in rats. *Kidney International* **77**, 101-9.
332. HUANG, K. C., HSU, S. P., YANG, C. C., PU, O. Y., LEE, K. T., MORISAWA, S., OTSUBO, K. & CHIEN, C. T. (2010). Electrolysed-reduced water dialysate improves T-cell damage in end-stage renal disease patients with chronic haemodialysis. *Nephrology Dialysis Transplantation* **25**, 2730-2737.
333. KITAMURA, A., KOBAYASHI, S., MATSUSHITA, T., FUJINAWA, H. & MURASE, K. (2010). Experimental verification of protective effect of hydrogen-rich water against cisplatin-induced nephrotoxicity in rats using dynamic contrast-enhanced CT. *British Journal of Radiology* **83**, 509-514.
334. NAKAYAMA, M., NAKANO, H., HAMADA, H., ITAMI, N., NAKAZAWA, R. & ITO, S. (2010). A novel bioactive haemodialysis system using dissolved dihydrogen (H<sub>2</sub>) produced by water electrolysis: a clinical trial. *Nephrology Dialysis Transplantation* **25**, 3026-3033.
335. MATSUSHITA, T., KUSAKABE, Y., KITAMURA, A., OKADA, S. & MURASE, K. (2011). Protective effect of hydrogen-rich water against gentamicin-induced nephrotoxicity in rats using blood oxygenation level-dependent MR imaging. *Magn Reson Med Sci* **10**, 169-76.
336. KATAKURA, M., HASHIMOTO, M., TANABE, Y. & SHIDO, O. (2012). Hydrogen-rich water inhibits glucose and alpha,beta -dicarbonyl compound-induced reactive oxygen species production in the SHR.Cg-Leprcp/NDmcr rat kidney. *Medical Gas Research* **2**, 18.
337. KATO, S., HOKAMA, R., OKAYASU, H., SAITOH, Y., IWAI, K. & MIWA, N. (2012). Colloidal platinum in hydrogen-rich water exhibits radical-scavenging activity and improves blood fluidity. *J Nanosci Nanotechnol* **12**, 4019-27.
338. MATSUMOTO, S., UEDA, T. & KAKIZAKI, H. (2013). Effect of supplementation with hydrogen-rich water in patients with interstitial cystitis/painful bladder syndrome. *Urology* **81**, 226-30.
339. ITOH, K., NAKAO, A., KISHIMOTO, W., ITOH, T., HARADA, A., NONAMI, T., NAKANO, M. & TAKAGI, H. (1993). Decreased production of active oxygen species by neutrophils in patients with liver cirrhosis and hepatocellular carcinoma. *Gastroenterologia Japonica* **28**, 541-6.
340. GHARIB, B., HANNA, S., ABDALLAHI, O. M., LEPIDI, H., GARDETTE, B. & DE REGGI, M. (2001). Anti-inflammatory properties of molecular hydrogen: investigation on parasite-induced liver inflammation. *C R Acad Sci III* **324**, 719-724.
341. KAJIYA, M., SATO, K., SILVA, M. J., OUHARA, K., DO, P. M., SHANMUGAM, K. T. & KAWAI, T. (2009). Hydrogen from intestinal bacteria is

- protective for Concanavalin A-induced hepatitis. *Biochem Biophys Res Commun* **386**, 316-21.
342. PARK, S. K., QI, X. F., SONG, S. B., KIM, D. H., TENG, Y. C., YOON, Y. S., KIM, K. Y., LI, J. H., JIN, D. & LEE, K. J. (2009). Electrolyzed-reduced water inhibits acute ethanol-induced hangovers in Sprague-Dawley rats. *Biomed Res* **30**, 263-9.
343. TSAI, C. F., HSU, Y. W., CHEN, W. K., CHANG, W. H., YEN, C. C., HO, Y. C. & LU, F. J. (2009). Hepatoprotective effect of electrolyzed reduced water against carbon tetrachloride-induced liver damage in mice. *Food Chem Toxicol* **47**, 2031-6.
344. LIU, Q., SHEN, W. F., SUN, H. Y., FAN, D. F., NAKAO, A., CAI, J. M., YAN, G., ZHOU, W. P., SHEN, R. X., YANG, J. M. & SUN, X. J. (2010). Hydrogen-rich saline protects against liver injury in rats with obstructive jaundice. *Liver International* **30**, 958-968.
345. KANG, K.-M., KANG, Y.-N., CHOI, I.-B., GU, Y., KAWAMURA, T., TOYODA, Y. & NAKAO, A. (2011). Effects of drinking hydrogen-rich water on the quality of life of patients treated with radiotherapy for liver tumors. *Medical Gas Research* **1**, 11.
346. SUN, H., CHEN, L., ZHOU, W., HU, L., LI, L., TU, Q., CHANG, Y., LIU, Q., SUN, X., WU, M. & WANG, H. (2011). The protective role of hydrogen-rich saline in experimental liver injury in mice. *Journal of Hepatology* **54**, 471-80.
347. XIANG, L., TAN, J. W., HUANG, L. J., JIA, L., LIU, Y. Q., ZHAO, Y. Q., WANG, K. & DONG, J. H. (2012). Inhalation of hydrogen gas reduces liver injury during major hepatectomy in swine. *World Journal of Gastroenterology* **18**, 5197-5204.
348. KOYAMA, Y., TAURA, K., HATANO, E., TANABE, K., YAMAMOTO, G., NAKAMURA, K., YAMANAKA, K., KITAMURA, K., NARITA, M., NAGATA, H., YANAGIDA, A., IIDA, T., IWASAKO, K., FUJINAWA, H. & UEMOTO, S. (2013). Effects of Oral Intake of Hydrogen Water on Liver Fibrogenesis in Mice. *Hepatol Res*.
349. HUANG, C. S., KAWAMURA, T., LEE, S., TOCHIGI, N., SHIGEMURA, N., BUCHHOLZ, B. M., KLOKE, J. D., BILLIAR, T. R., TOYODA, Y. & NAKAO, A. (2010). Hydrogen inhalation ameliorates ventilator-induced lung injury. *Critical Care* **14**, R234.
350. QIU, X. C., JIN, Y. C., SUN, Y., LUO, P. F., FU, J. F., CHEN, B. & XIA, Z. F. (2010). [Effect of hydrogen-rich saline on blood pressure and antioxidant ability of lung tissue in scalded rats following delayed resuscitation]. *Zhonghua Shao Shang Za Zhi* **26**, 435-8.
351. ZHENG, J., LIU, K., KANG, Z. M., CAI, J. M., LIU, W. W., XU, W. G., LI, R. P., TAO, H. Y., ZHANG, J. H. & SUN, X. J. (2010). Saturated hydrogen saline protects the lung against oxygen toxicity. *Undersea & Hyperbaric Medicine* **37**, 185-192.
352. FANG, Y., FU, X. J., GU, C., XU, P., WANG, Y., YU, W. R., SUN, Q., SUN, X. J. & YAO, M. (2011). Hydrogen-rich saline protects against acute lung

- injury induced by extensive burn in rat model. *Journal of Burn Care and Research* **32**, e82-91.
353. HUANG, C. S., KAWAMURA, T., PENG, X., TOCHIGI, N., SHIGEMURA, N., BILLIAR, T. R., NAKAO, A. & TOYODA, Y. (2011). Hydrogen inhalation reduced epithelial apoptosis in ventilator-induced lung injury via a mechanism involving nuclear factor-kappa B activation. *Biochemical and Biophysical Research Communications* **408**, 253-8.
354. LIU, S., LIU, K., SUN, Q., LIU, W., XU, W., DENOBLE, P., TAO, H. & SUN, X. (2011). Consumption of hydrogen water reduces paraquat-induced acute lung injury in rats. *Journal of Biomedicine & Biotechnology* **2011**, 305086.
355. QIU, X., LI, H., TANG, H., JIN, Y., LI, W., YUSUN, PINGFENG, SUN, X. & XIA, Z. (2011). Hydrogen inhalation ameliorates lipopolysaccharide-induced acute lung injury in mice. *Int Immunopharmacol* **11**, 2130-7.
356. SUN, Q. A., CAI, J. M., LIU, S. L., LIU, Y., XU, W. G., TAO, H. Y. & SUN, X. J. (2011). Hydrogen-Rich Saline Provides Protection Against Hyperoxic Lung Injury. *Journal of Surgical Research* **165**, E43-E49.
357. TERASAKI, Y., OHSAWA, I., TERASAKI, M., TAKAHASHI, M., KUNUGI, S., DEDONG, K., URUSHIYAMA, H., AMENOMORI, S., KANEKO-TOGASHI, M., KUWAHARA, N., ISHIKAWA, A., KAMIMURA, N., OHTA, S. & FUKUDA, Y. (2011). Hydrogen therapy attenuates irradiation-induced lung damage by reducing oxidative stress. *American Journal of Physiology - Lung Cellular and Molecular Physiology* **301**, L415-26.
358. LIANG, C., LIU, X., LIU, L. & HE, D. (2012). [Effect of hydrogen inhalation on p38 MAPK activation in rats with lipopolysaccharide- induced acute lung injury]. *Nan Fang Yi Ke Da Xue Xue Bao* **32**, 1211-3.
359. SHI, J., YAO, F., ZHONG, C., PAN, X., YANG, Y. & LIN, Q. (2012). Hydrogen saline is protective for acute lung ischaemia/reperfusion injuries in rats. *Heart Lung Circ* **21**, 556-63.
360. XIE, K., YU, Y., HUANG, Y., ZHENG, L., LI, J., CHEN, H., HAN, H., HOU, L., GONG, G. & WANG, G. (2012). Molecular hydrogen ameliorates lipopolysaccharide-induced acute lung injury in mice through reducing inflammation and apoptosis. *Shock* **37**, 548-55.
361. KAWAMURA, T., WAKABAYASHI, N., SHIGEMURA, N., HUANG, C. S., MASUTANI, K., TANAKA, Y., NODA, K., PENG, X., TAKAHASHI, T., BILLIAR, T. R., OKUMURA, M., TOYODA, Y., KENSLER, T. W. & NAKAO, A. (2013). Hydrogen gas reduces hyperoxic lung injury via the Nrf2 pathway in vivo. *Am J Physiol Lung Cell Mol Physiol* **304**, L646-56.
362. LIU, W., SHAN, L. P., DONG, X. S., LIU, X. W., MA, T. & LIU, Z. (2013). Combined early fluid resuscitation and hydrogen inhalation attenuates lung and intestine injury. *World J Gastroenterol* **19**, 492-502.
363. XIAO, M., ZHU, T., WANG, T. & WEN, F. Q. (2013). Hydrogen-rich saline reduces airway remodeling via inactivation of NF-kappaB in a murine model of asthma. *Eur Rev Med Pharmacol Sci* **17**, 1033-43.
364. KIM, H.-W. Alkaline Reduced Water produced by UMQ showed Anti-

- cancer and Anti-diabetic effect.
365. SHIRAHATA, S. Anti-oxidative water improves diabetes.
  366. UNIVERSITY, T. effect of electrolytic water in take on the life span of autoimmune disease prone mice.
  367. DARNAUD, C. (1951). [Indications for alkaline mineral water cure in diabetes mellitus]. *Toulouse Med* **52**, 277-84.
  368. YOKOYAMA, J.-M. K. A. K. (1997). Effects of alkaline ionized water on spontaneously diabetic GK-rats fed sucrose. *Korea. J. of Lab. Anim Sa* **13**, 187-190.
  369. NELSON, D., AVULA, C. P. R., JOLLY, C., DE VIERVILLE, J. & FERNANDES, G. (1998). Effect of electrolyzed water intake on lifespan of autoimmune disease prone mice. *Faseb Journal* **12**, A794-A794.
  370. M. ODA, K. K., K. TERUYA, T. HARA, T. MAKI, S. KABAYAMA, Y. KATAKURA, K. OTSUBO, S. MORISAWA, H. HAYASHI. (2000). Electrolyzed and natural reduced water exhibit insulin-like activity on glucose uptake into muscle cells and adipocytes. *Animal Cell Technology: Products from Cells, Cells as Products*, 425-427.
  371. LI, Y., NISHIMURA, T., TERUYA, K., MAKI, T., KOMATSU, T., HAMASAKI, T., KASHIWAGI, T., KABAYAMA, S., SHIM, S. Y., KATAKURA, Y., OSADA, K., KAWAHARA, T., OTSUBO, K., MORISAWA, S., ISHII, Y., GADEK, Z. & SHIRAHATA, S. (2002). Protective mechanism of reduced water against alloxan-induced pancreatic beta-cell damage: Scavenging effect against reactive oxygen species. *Cytotechnology* **40**, 139-49.
  372. CHIASSON, J. L., JOSSE, R. G., GOMIS, R., HANEFELD, M., KARASIK, A. & LAAKSO, M. (2003). Acarbose treatment and the risk of cardiovascular disease and hypertension in patients with impaired glucose tolerance: the STOP-NIDDM trial. *JAMA* **290**, 486-94.
  373. SHIRAHATA, S. (2004). The suppressive effect of electrolyzed reduced water on lipid peroxidation.
  374. LI, Y.-P., TERUYA, K., KATAKURA, Y., KABAYAMA, S., OTSUBO, K., MORISAWA, S., ET AL. (2005). Effect of reduced water on the apoptotic cell death triggered by oxidative stress in pancreatic b HIT-T15 cell. *Animal cell technology meets genomics*, 121-124.
  375. ETC..ET.AL, G. Y. (2006). Anti-oxidation Effect and Anti Type 2 Diabetic Effect in Active Hydrogen Water
  376. . *Medicine and Biology* **150**, 384-392.
  377. JIN, D., RYU, S. H., KIM, H. W., YANG, E. J., LIM, S. J., RYANG, Y. S., CHUNG, C. H., PARK, S. K. & LEE, K. J. (2006). Anti-diabetic effect of alkaline-reduced water on OLETF rats. *Biosci Biotechnol Biochem* **70**, 31-7.
  378. KIM, M. J. & KIM, H. K. (2006). Anti-diabetic effects of electrolyzed reduced water in streptozotocin-induced and genetic diabetic mice. *Life Sci* **79**, 2288-92.
  379. N, D. P., SEUNG-KYU ; LEE, YOUNG-MI ; YOON, YANG-SUK ; KIM, DONG-HEUI ; DEUNG, YOUNG-KUN ; LEE, KYU-JAE. (2006). Effect of mineral

- induced alkaline reduced water on sprague-dawley rats fed on a high fat diet. *J. Exp. Biomed. Sci.* **12**, 1-7.
380. YEUNHWA GU, K. O., TAIGO FUJ, YUKA ITOKAWA, TAKASHI MASUBUCHI, Y. K., TOSHIHIRO MAENAKA,, KWANG-HO CHO7), J.-S. C., TAKENORI YAMASHITA,, YASUYUKI TAKAGI, I.-B. C., KI-MUN KANG,, TAKEO HASEGAWA, T. M., MASAMI OSHIMA & IKUKATSU SUZUKI, A. T. I. (2006). Anti Type 2 Diabetic Effect and Anti-oxidation Effect in Active Hydrogen Water Administration KK-Ay Mice. *Medicine and Biology* **150**, 384-392.
381. KIM, M. J., JUNG, K. H., UHM, Y. K., LEEM, K. H. & KIM, H. K. (2007). Preservative effect of electrolyzed reduced water on pancreatic beta-cell mass in diabetic db/db mice. *Biol Pharm Bull* **30**, 234-6.
382. KAJIYAMA, S., HASEGAWA, G., ASANO, M., HOSODA, H., FUKUI, M., NAKAMURA, N., KITAWAKI, J., IMAI, S., NAKANO, K., OHTA, M., ADACHI, T., OBAYASHI, H. & YOSHIKAWA, T. (2008). Supplementation of hydrogen-rich water improves lipid and glucose metabolism in patients with type 2 diabetes or impaired glucose tolerance. *Nutrition Research* **28**, 137–143.
383. OHSAWA, I., NISHIMAKI, K., YAMAGATA, K., ISHIKAWA, M. & OHTA, S. (2008). Consumption of hydrogen water prevents atherosclerosis in apolipoprotein E knockout mice. *Biochem Biophys Res Commun* **377**, 1195-8.
384. KAWAHITO, S., KITAHATA, H. & OSHITA, S. (2009). Problems associated with glucose toxicity: Role of hyperglycemia-induced oxidative stress. *World Journal of Gastroenterology* **15**, 4137-4142.
385. MENGTSAN, C. Y. C. (2009). Effect of alkaline reduced water on erythrocyte oxidative status and plasma lipids of spontaneously hypertensive rats. *Taiwanese Journal of Agricultural Chemistry and Food Science* **47**, 71-72.
386. CHEN, C. H., MANAENKO, A., ZHAN, Y., LIU, W. W., OSTROWKI, R. P., TANG, J. & ZHANG, J. H. (2010). Hydrogen Gas Reduced Acute Hyperglycemia-Enhanced Hemorrhagic Transformation in a Focal Ischemia Rat Model. *Neuroscience* **169**, 402-414.
387. MASUMI ABE, S. S., KAZUKO TOH, TAKEKI HAMASAKI, NOBORU NAKAMICHI, KIICHIRO TERUYA, YOSHINORI KATAKURA, SHINKATSU MORISAWA, SANETAKA SHIRAHATA. (2010). Suppressive Effect of ERW on Lipid Peroxidation and Plasma Triglyceride Level. *Animal Cell Technology: Basic & Applied Aspects* **16**.
388. NAKAO, A., TOYODA, Y., SHARMA, P., EVANS, M. & GUTHRIE, N. (2010). Effectiveness of Hydrogen Rich Water on Antioxidant Status of Subjects with Potential Metabolic Syndrome-An Open Label Pilot Study. *Journal of Clinical Biochemistry and Nutrition* **46**, 140-149.
389. HASHIMOTO, M., KATAKURA, M., NABIKA, T., TANABE, Y., HOSSAIN, S., TSUCHIKURA, S. & SHIDO, O. (2011). Effects of hydrogen-rich water on abnormalities in a SHR.Cg-Leprcp/NDmcr rat - a metabolic syndrome rat model. *Medical Gas Research* **1**, 26.
390. KAMIMURA, N., NISHIMAKI, K., OHSAWA, I. & OHTA, S. (2011). Molecular Hydrogen Improves Obesity and Diabetes by Inducing Hepatic FGF21

- and Stimulating Energy Metabolism in db/db Mice. *Obesity*.
391. LI, Y., HAMASAKI, T., NAKAMICHI, N., KASHIWAGI, T., KOMATSU, T., YE, J., TERUYA, K., ABE, M., YAN, H., KINJO, T., KABAYAMA, S., KAWAMURA, M. & SHIRAHATA, S. (2011). Suppressive effects of electrolyzed reduced water on alloxan-induced apoptosis and type 1 diabetes mellitus. *Cytotechnology* **63**, 119-31.
392. NAKAI, Y., SATO, B., USHIAMA, S., OKADA, S., ABE, K. & ARAI, S. (2011). Hepatic oxidoreduction-related genes are upregulated by administration of hydrogen-saturated drinking water. *Bioscience, Biotechnology, and Biochemistry* **75**, 774-6.
393. SONG, G., TIAN, H., LIU, J., ZHANG, H., SUN, X. & QIN, S. (2011). H2 inhibits TNF-alpha-induced lectin-like oxidized LDL receptor-1 expression by inhibiting nuclear factor kappaB activation in endothelial cells. *Biotechnology Letters* **33**, 1715-22.
394. WANG, Y., JING, L., ZHAO, X. M., HAN, J. J., XIA, Z. L., QIN, S. C., WU, Y. P. & SUN, X. J. (2011). Protective effects of hydrogen-rich saline on monocrotaline-induced pulmonary hypertension in a rat model. *Respir Res* **12**, 26.
395. YANG, X., GUO, L., SUN, X., CHEN, X. & TONG, X. (2011). Protective effects of hydrogen-rich saline in preeclampsia rat model. *Placenta* **32**, 681-6.
396. YU, P., WANG, Z., SUN, X., CHEN, X., ZENG, S., CHEN, L. & LI, S. (2011). Hydrogen-rich medium protects human skin fibroblasts from high glucose or mannitol induced oxidative damage. *Biochemical and Biophysical Research Communications* **409**, 350-5.
397. EKUNI, D., TOMOFUJI, T., ENDO, Y., KASUYAMA, K., IRIE, K., AZUMA, T., TAMAKI, N., MIZUTANI, S., KOJIMA, A. & MORITA, M. (2012). Hydrogen-rich water prevents lipid deposition in the descending aorta in a rat periodontitis model. *Arch Oral Biol* **57**, 1615-22.
398. FAN, M., XU, X., HE, X., CHEN, L., QIAN, L., LIU, J., QING, J., CHAO, Z. & SUN, X. (2012). Protective Effects of Hydrogen-Rich Saline Against Erectile Dysfunction in a Streptozotocin Induced Diabetic Rat Model. *J Urol*.
399. KAWAI, D., TAKAKI, A., NAKATSUKA, A., WADA, J., TAMAKI, N., YASUNAKA, T., KOIKE, K., TSUZAKI, R., MATSUMOTO, K., MIYAKE, Y., SHIRAHATA, H., MORITA, M., MAKINO, H. & YAMAMOTO, K. (2012). Hydrogen-rich water prevents progression of nonalcoholic steatohepatitis and accompanying hepatocarcinogenesis in mice. *Hepatology* **56**, 912-21.
400. NISHIOKA, S., YOSHIOKA, T., OHKITA, M., MATSUMURA, Y., ISHIZAKA, N., OKADA, Y. & HAYASHI, T. (2012). Effect of hydrogen gas inhalation on lipid metabolism and left ventricular remodeling induced by intermittent hypoxia in mice. *European Heart Journal* **33**, 794-794.
401. WANG, Q. J., ZHA, X. J., KANG, Z. M., XU, M. J., HUANG, Q. & ZOU, D. J. (2012). Therapeutic effects of hydrogen saturated saline on rat diabetic model and insulin resistant model via reduction of oxidative stress. *Chin Med J (Engl)* **125**, 1633-7.



402. YU, Y. S. & ZHENG, H. (2012). Chronic hydrogen-rich saline treatment reduces oxidative stress and attenuates left ventricular hypertrophy in spontaneous hypertensive rats. *Mol Cell Biochem* **365**, 233-42.
403. ZHENG, H. & YU, Y. S. (2012). Chronic hydrogen-rich saline treatment attenuates vascular dysfunction in spontaneous hypertensive rats. *Biochemical Pharmacology* **83**, 1269-77.
404. ZONG, C., SONG, G., YAO, S., LI, L., YU, Y., FENG, L., GUO, S., LUO, T. & QIN, S. (2012). Administration of hydrogen-saturated saline decreases plasma low-density lipoprotein cholesterol levels and improves high-density lipoprotein function in high-fat diet-fed hamsters. *Metabolism* **61**, 794-800.
405. AMITANI, H., ASAKAWA, A., CHENG, K. C., AMITANI, M., KAIMOTO, K., NAKANO, M., USHIKAI, M., LI, Y. X., TSAI, M. L., LI, J. B., TERASHI, M., CHAOLU, H., KAMIMURA, R. & INUI, A. (2013). Hydrogen Improves Glycemic Control in Type1 Diabetic Animal Model by Promoting Glucose Uptake into Skeletal Muscle. *PLoS One* **8**.
406. IIO, A., ITO, M., ITOH, T., TERAZAWA, R., FUJITA, Y., NOZAWA, Y., OHSAWA, I. & OHNO, K. (2013). Molecular hydrogen attenuates fatty acid uptake and lipid accumulation through downregulating CD36 expression in HepG2 cells. *Medical Gas Research* **3**, 6.
407. JIANG, H., YU, P., QIAN, D. H., QIN, Z. X., SUN, X. J., YU, J. & HUANG, L. (2013). Hydrogen-rich medium suppresses the generation of reactive oxygen species, elevates the Bcl-2/Bax ratio and inhibits advanced glycation end product-induced apoptosis. *Int J Mol Med* **31**, 1381-7.
408. HOSLER, C. F., JR. (1974). Degradation of zectran in alkaline water. *Bull Environ Contam Toxicol* **12**, 599-605.
409. LEITCH, A. G., CLANCY, L. J., LEGGETT, R. J. E., TWEEDDALE, P., DAWSON, P. & EVANS, J. I. (1976). Arterial Blood-Gas Tensions, Hydrogen-Ion, and Electroencephalogram during Sleep in Patients with Chronic Ventilatory Failure. *Thorax* **31**, 730-735.
410. BELLINI, M., SPATARO, M., COSTA, F., TUMINO, E., CIAPPARRONE, G., FLANDOLI, F., RUCCO, M., MALTINTI, G. & MARCHI, S. (1995). [Gallbladder motility following intake of mineral bicarbonate-alkaline water. Ultrasonographic assessment]. *Minerva Med* **86**, 75-80.
411. YAGUCHI, H., TAKANO, Y., FUJITA, H. & TSUBOTA, K. (1997). The application of strong acid electrolysed water in ophthalmology. *Investigative Ophthalmology & Visual Science* **38**, 645-645.
412. YAMANAKA, K., IMAOKA, T., FUTATSUKI, T., YAMASHITA, Y., MITSUMORI, K., KASAMA, Y., AOKI, H., YAMASAKI, S. & AOTO, N. (1999). Electrolyzed water as the novel cleaning media in ultra-large-scale integration and liquid crystal display manufacturing. *Langmuir* **15**, 4165-4170.
413. KOSEKI, S. & ITOH, K. (2000). Fundamental properties of electrolyzed water. *Journal of the Japanese Society for Food Science and Technology-Nippon Shokuhin Kagaku Kogaku Kaishi* **47**, 390-393.
414. YAHAGI, N., KONO, M., KITAHARA, M., OHMURA, A., SUMITA, O.,

- HASHIMOTO, T., HORI, K., CHEN, N. J., WOODSON, P., KUBOTA, S., MURAKAMI, A. & TAKAMOTO, S. (2000). Effect of electrolyzed water on wound healing. *Artificial Organs* **24**, 984-987.
415. ;, R. K.-K. L. Y.-B. L. J.-K. L. M.-Y. (2005). Permeability and dissolvability of cathodic electrolyzed water for electrophoretic gel and green tea components. *Journal of the Korea Academia-Industrial cooperation Society* **6**, 87-93.
416. LEE, S. H. & CHOI, B. K. (2006). Antibacterial effect of electrolyzed water on oral bacteria. *J Microbiol* **44**, 417-22.
417. LIU, C. & SU, Y. C. (2006). Efficiency of electrolyzed oxidizing water on reducing *Listeria monocytogenes* contamination on seafood processing gloves. *Int J Food Microbiol* **110**, 149-54.
418. CAMMAROTA, G. & LAROCCA, L. M. (2008). Electrolyzed acid water can cause colitis? Reply. *Endoscopy* **40**, 621-621.
419. CORIAT, R., CHAPUT, U., AUDARD, V. & CHAUSSADE, S. (2008). Electrolyzed acid water can cause colitis? Reply. *Endoscopy* **40**, 621-621.
420. JIN, T. Y., OH, D. H. & EUN, J. B. (2008). Changes in the physicochemical properties and functional components of uncooked foods treated with electrolyzed water. *Food Science and Biotechnology* **17**, 72-79.
421. SOUZA, J. L., RIBEIRO, T. M., BORGES, L. V. & DA SILVA, J. G. (2008). Electrolyzed acid water can cause colitis? *Endoscopy* **40**, 620; author reply 620-1.
422. SOUZA, J. L. S., RIBEIRO, T. M., BORGES, L. V. & DA SILVA, J. G. N. (2008). Electrolyzed acid water can cause colitis? *Endoscopy* **40**, 620-620.
423. KIKUCHI, K., IOKA, A., OKU, T., TANAKA, Y., SAIHARA, Y. & OGUMI, Z. (2009). Concentration determination of oxygen nanobubbles in electrolyzed water. *Journal of Colloid and Interface Science* **329**, 306-309.
424. TAKENOUCI, T. & HAYASE, S. (2010). Qualitative Analysis for Trace Amounts of Organocompounds Derived from Constitutional Materials of Electrolytic Compartments During Generation of an Acidic Electrolyzed Water. *Bunseki Kagaku* **59**, 817-821.
425. MORITA, C., NISHIDA, T. & ITO, K. (2011). Biological toxicity of acid electrolyzed functional water: effect of oral administration on mouse digestive tract and changes in body weight. *Arch Oral Biol* **56**, 359-66.
426. LU, Y. L., CHEN, C. J. & LIANG, B. X. (2012). [The changes of peripheral blood lymphocyte subsets in patients with acute hydrogen chloride gas poisoning]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* **30**, 375-6.
427. ZHOU, R., ZHANG, G. X., HU, Y. S., WU, H., XIE, J. & LUO, Y. D. (2012). Reductions in flesh discolouration and internal morphological changes in Nanhui peaches (*Prunus persica* (L.) Batsch, cv. Nanhui) by electrolysed water and 1-methylcyclopropene treatment during refrigerated storage. *Food Chemistry* **135**, 985-992.
428. (1973). Navy Studies Hydrogen as Breathing Gas. *Design News* **28**, 22-22.
429. WATANABE, T., PAN, I., FUKUDA, Y., MURASUGI, E., KAMATA, H. &

- UWATOKO, K. (1998). Influences of alkaline ionized water on milk yield, body weight of offspring and perinatal dam in rats. *J Toxicol Sci* **23**, 365-71.
430. WATANABE, T., KAMATA, H., FUKUDA, Y., MURASUGI, E., SATO, T., UWATOKO, K. & PAN, I. J. (2000). Influences of alkaline ionized water on milk electrolyte concentrations in maternal rats. *J Toxicol Sci* **25**, 417-22.
431. MERNE, M. E., SYRJANEN, K. J. & SYRJANEN, S. M. (2001). Systemic and local effects of long-term exposure to alkaline drinking water in rats. *Int J Exp Pathol* **82**, 213-9.
432. LEE, K. J., JIN, D., CHANG, B. S., TENG, Y. C. & KIM, D. H. (2009). The immunological effects of electrolyzed reduced water on the Echinostoma hortense infection in C57BL/6 mice. *Biol Pharm Bull* **32**, 456-62.
433. SAITOH, Y., HARATA, Y., MIZUHASHI, F., NAKAJIMA, M. & MIWA, N. (2010). Biological safety of neutral-pH hydrogen-enriched electrolyzed water upon mutagenicity, genotoxicity and subchronic oral toxicity. *Toxicology and Industrial Health* **26**, 203-216.
434. NI, X. X., CAI, Z. Y., FAN, D. F., LIU, Y., ZHANG, R. J., LIU, S. L., KANG, Z. M., LIU, K., LI, R. P., SUN, X. J. & XU, W. G. (2011). Protective effect of hydrogen-rich saline on decompression sickness in rats. *Aviation Space and Environmental Medicine* **82**, 604-9.
435. YOON, Y. S., KIM, D. H., KIM, S. K., SONG, S. B., UH, Y., JIN, D., QI, X. F., TENG, Y. C. & LEE, K. J. (2011). The melamine excretion effect of the electrolyzed reduced water in melamine-fed mice. *Food and Chemical Toxicology* **49**, 1814-9.
436. YICHAO JIN, X. Q., YU SUN, GUOFENG HUANG, XUEJUN SUN AND ZHAO-FAN XIA. Hydrogen May Be Used as a Treatment for Stress-Induced Gastric Ulceration. *Med. Hypotheses Res* **7**, 43-47.
437. PILCHER, J. E. (1888). Senn on the Diagnosis of Gastro-Intestinal Perforation by the Rectal Insufflation of Hydrogen Gas. *Ann Surg* **8**, 190-204.
438. NAITO, Y., TAKAGI, T., UCHIYAMA, K., TOMATSURI, N., MATSUYAMA, K., FUJII, T., YAGI, N., YOSHIDA, N. & YOSHIKAWA, T. (2002). Chronic administration with electrolyzed alkaline water inhibits aspirin-induced gastric mucosal injury in rats through the inhibition of tumor necrosis factor-alpha expression. *Journal of Clinical Biochemistry and Nutrition* **32**, 69-81.
439. VOROBEVA, N. V. (2005). Selective stimulation of the growth of anaerobic microflora in the human intestinal tract by electrolyzed reducing water. *Med Hypotheses* **64**, 543-6.
440. BUCHHOLZ, B. M., KACZOROWSKI, D. J., SUGIMOTO, R., YANG, R., WANG, Y., BILLIAR, T. R., MCCURRY, K. R., BAUER, A. J. & NAKAO, A. (2008). Hydrogen inhalation ameliorates oxidative stress in transplantation induced intestinal graft injury. *Am J Transplant* **8**, 2015-2024.
441. KAJIYA, M., SILVA, M. J., SATO, K., OUHARA, K. & KAWAI, T. (2009). Hydrogen mediates suppression of colon inflammation induced by dextran sodium sulfate. *Biochem Biophys Res Commun*, in press.
442. XIE, K. L., HOU, L. C., WANG, G. L. & XIONG, L. Z. (2010). [Effects of

- hydrogen gas inhalation on serum high mobility group box 1 levels in severe septic mice]. *Zhejiang Da Xue Xue Bao Yi Xue Ban* **39**, 454-7.
443. XIE, K. L., YU, Y. H., PEI, Y. P., HOU, L. C., CHEN, S. Y., XIONG, L. Z. & WANG, G. L. (2010). Protective effects of hydrogen gas on murine polymicrobial sepsis via reducing oxidative stress and HMGB1 release. *Shock* **34**, 90-97.
444. BUCHHOLZ, B. M., MASUTANI, K., KAWAMURA, T., PENG, X., TOYODA, Y., BILLIAR, T. R., BAUER, A. J. & NAKAO, A. (2011). Hydrogen-enriched preservation protects the isogeneic intestinal graft and amends recipient gastric function during transplantation. *Transplantation* **92**, 985-92.
445. LIU, X., CHEN, Z., MAO, N. & XIE, Y. (2012). The protective of hydrogen on stress-induced gastric ulceration. *Int Immunopharmacol* **13**, 197-203.
446. XIE, K., FU, W., XING, W., LI, A., CHEN, H., HAN, H., YU, Y. & WANG, G. (2012). Combination therapy with molecular hydrogen and hyperoxia in a murine model of polymicrobial sepsis. *Shock* **38**, 656-63.
447. XIE, K., YU, Y., HOU, L., CHEN, H., HAN, H., XIONG, L. & WANG, G. (2012). Nrf2 is critical in the protective role of hydrogen gas against murine polymicrobial sepsis. *British Journal of Anaesthesia* **108**, 538-539.
448. SASLAW, W. C. & ZIPOY, D. (1967). Molecular Hydrogen in Pre-Galactic Gas Clouds. *Nature* **216**, 976-&.
449. TROUGHTON, W. D., GOODE, D. H., STEVENSON, D. S. & CULLEN, R. (1984). Breath Hydrogen Estimation Using a Gas-Sensitive Semiconductor. *New Zealand Medical Journal* **97**, 120-120.
450. FENZL, W. & PEISEL, J. (1985). Hydrogen in metallic alloys as an example of a lattice gas with random field and random bonds. *Physical Review Letters* **54**, 2064-2067.
451. BUXTON, G. V., GREENSTOCK, C. L., HELMAN, W. P. & ROSS, A. B. (1988). Critical view of rate constants for reactions of hydrated electrons, hydrogen atoms and hydroxyl radicals ( $\cdot\text{OH}/\cdot\text{OH}^-$ ) in aqueous solution. *J Phys Chem Ref Data* **17**, 513-886.
452. TOMITA, M., GOTOH, F., TANAHASHI, N., KOBARI, M., SHINOHARA, T., TERAYAMA, Y., MIHARA, B. & OHTA, K. (1990). Diffusion of oxygen and hydrogen gas is faster through a layer of suspended cultured C6 cells than through the medium. *Oxygen Transport to Tissue Xxi* **277**, 115-20.
453. WONG, W. W., CLARKE, L. L., LLAURADOR, M. & KLEIN, P. D. (1992). A new zinc product for the reduction of water in physiological fluids to hydrogen gas for 2H/1H isotope ratio measurements. *European Journal of Clinical Nutrition* **46**, 69-71.
454. WONG, W. W., CLARKE, L. L., LLAURADOR, M. & KLEIN, P. D. (1992). A New Zinc Product for the Reduction of Water in Physiological Fluids to Hydrogen Gas for H-2/H-1 Isotope Ratio Measurements. *European Journal of Clinical Nutrition* **46**, 69-71.
455. LAFAY, V., BARTHELEMY, P., COMET, B., FRANCES, Y. & JAMMES, Y. (1995). ECG changes during the experimental human dive HYDRA 10 (71 atm/7,200 kPa). *Undersea and Hyperbaric Medicine* **22**, 51-60.

456. HONDA, T., MURASE, K., HIRATO, T. & AWAKURA, Y. (1998). pH measurement in the vicinity of a cathode evolving hydrogen gas using an antimony microelectrode. *Journal of Applied Electrochemistry* **28**, 617-622.
457. RAMACHANDRAN, R. & MENON, R. K. (1998). An overview of industrial uses of hydrogen. *International Journal of Hydrogen Energy* **23**, 593-598.
458. TOMITA, M., TANAHASHI, N., KOBARI, M., YOKOYAMA, M., INOUE, M., SCHISZLER, I. & FUKUUCHI, Y. (1999). Oxygen and hydrogen gas transport through living C6 cell suspensions is faster than that in dead cells. *Oxygen Transport to Tissue Xxi* **471**, 741-7.
459. KIKUCHI, K., TAKEDA, H., RABOLT, B., OKAYA, T., OGUMI, Z., SAIHARA, Y. & NOGUCHI, H. (2001). Hydrogen particles and supersaturation in alkaline water from an Alkali-Ion-Water electrolyzer. *Journal of Electroanalytical Chemistry* **506**, 22-27.
460. KIKUCHI, K., TAKEDA, H., RABOLT, B., OKAYA, T., OGUMI, Z., SAIHARA, Y. & NOGUCHI, H. (2001). Hydrogen concentration in water from an Alkali-Ion-Water electrolyzer having a platinum-electroplated titanium electrode. *Journal of Applied Electrochemistry* **31**, 1301-1306.
461. EHRENFREUND, P., IRVINE, W., BECKER, L., BLANK, J., BRUCATO, J. R., COLANGELI, L., DERENNE, S., DESPOIS, D., DUTREY, A., FRAAIJE, H., LAZCANO, A., OWEN, T., ROBERT, F. & TEAM, I. S. S. I. I. (2002). Astrophysical and astrochemical insights into the origin of life. *Reports on Progress in Physics* **65**, 1427-1487.
462. GROMMEN, R. & VERSTRAETE, W. (2003). Nitrate removal in aquaria systems: use of electrochemically generated hydrogen gas as electron donor for denitrification. *Commun Agric Appl Biol Sci* **68**, 159-62.
463. TANAKA, Y., UCHINASHI, S., SAIHARA, Y., KIKUCHI, K., OKAYA, T. & OGUMI, Z. (2003). Dissolution of hydrogen and the ratio of the dissolved hydrogen content to the produced hydrogen in electrolyzed water using SPE water electrolyzer. *Electrochimica Acta* **48**, 4013-4019.
464. KAMEL, A. M. & MUNSON, B. (2004). Collisionally-induced dissociation of purine antiviral agents: mechanisms of ion formation using gas phase hydrogen/deuterium exchange and electrospray ionization tandem mass spectrometry. *Eur J Mass Spectrom (Chichester, Eng)* **10**, 239-57.
465. KROON, A. G. & VAN GINKEL, C. G. (2004). Biological reduction of chlorate in a gas-lift reactor using hydrogen as an energy source. *Journal of Environmental Quality* **33**, 2026-9.
466. BLACK, J. H. (2006). Chemistry and cosmology. *Faraday Discussions* **133**, 27-32; discussion 83-102, 449-52.
467. GAVRYUSHOV, S. (2006). Effective interaction potentials for alkali and alkaline earth metal ions in SPC/E water and polarization model of hydrated ions. *J Phys Chem B* **110**, 10888-95.
468. GAVRYUSHOV, S. & LINSE, P. (2006). Effective interaction potentials for alkali and alkaline earth metal ions in SPC/E water and prediction of mean ion activity coefficients. *J Phys Chem B* **110**, 10878-87.

469. SABO, D., REMPE, S. B., GREATHOUSE, J. A. & MARTIN, M. G. (2006). Molecular studies of the structural properties of hydrogen gas in bulk water. *Molecular Simulation* **32**, 269-278.
470. ALAVI, S. & RIPMEESTER, J. A. (2007). Hydrogen-gas migration through clathrate hydrate cages. *Angewandte Chemie-International Edition* **46**, 6102-6105.
471. KAMEL, A. M. & MUNSON, B. (2007). Collisionally-induced dissociation of substituted pyrimidine antiviral agents: mechanisms of ion formation using gas phase hydrogen/deuterium exchange and electrospray ionization tandem mass spectrometry. *J Am Soc Mass Spectrom* **18**, 1477-92.
472. KIKUCHI, K., NAGATA, S., TANAKA, Y., SALHARA, Y. & OGUMI, Z. (2007). Characteristics of hydrogen nanobubbles in solutions obtained with water electrolysis. *Journal of Electroanalytical Chemistry* **600**, 303-310.
473. HAMASAKI, T., KASHIWAGI, T., IMADA, T., NAKAMICHI, N., ARAMAKI, S., TOH, K., MORISAWA, S., SHIMAKOSHI, H., HISAEDA, Y. & SHIRAHATA, S. (2008). Kinetic analysis of superoxide anion radical-scavenging and hydroxyl radical-scavenging activities of platinum nanoparticles. *Langmuir* **24**, 7354-64.
474. HAN-SUK JUNG<sup>1</sup>, D.-H. K., YANG-SUK YOON, YUNG-CHIEN TENG, & LEE, B.-S. C. A. K.-J. (2008). Evaluate of Electrochemical Characteristics in Electrolyzed Reduced Water. *Korean J. Microscopy* **38**, 321-324.
476. RENAULT, J. P., VUILLEUMIER, R. & POMMERET, S. (2008). Hydrated electron production by reaction of hydrogen atoms with hydroxide ions: A first-principles molecular dynamics study. *Journal of Physical Chemistry A* **112**, 7027-7034.
477. SABO, D., VARMA, S., MARTIN, M. G. & REMPE, S. B. (2008). Studies of the thermodynamic properties of hydrogen gas in bulk water. *Journal of Physical Chemistry B* **112**, 867-76.
478. JAIN, I. P. (2009). Hydrogen the fuel for 21st century. *International Journal of Hydrogen Energy* **34**, 7368-7378.
479. TAKENOUCI, T., SATO, U. & NISHIO, Y. (2009). Behavior of Hydrogen Nanobubbles Generated in Alkaline Electrolyzed Water. *Electrochemistry* **77**, 521-523.
480. HIRAOKA, A., INABA, H., SUZUKI, E., KASAI, K., SUZUKI, H., SHINOHARA, A., SHIRAO, M., KUBO, K. & YOSHIMURA, Y. (2010). In Vitro Physicochemical Properties of Neutral Aqueous Solution Systems (Water Products as Drinks) Containing Hydrogen Gas, 2-Carboxyethyl Germanium Sesquioxide, and Platinum Nanocolloid as Additives. *Journal of Health Science* **56**, 167-174.
481. TAKENOUCI, T. (2010). Behavior of hydrogen nanobubbles in alkaline electrolyzed water and its rinse effect for sulfate ion remained on nickel-plated surface. *Journal of Applied Electrochemistry* **40**, 849-854.
482. WENG, Y. C., HUNG, K. C., WANG, J. C., LEE, Y. G., SU, Y. F. & LIN, C. Y. (2010). Binary platinum-ruthenium/Nafion electrodes for the detection of

- hydrogen. *Sensors and Actuators B-Chemical* **150**, 264-270.
483. ZENG, K. & ZHANG, D. K. (2010). Recent progress in alkaline water electrolysis for hydrogen production and applications. *Progress in Energy and Combustion Science* **36**, 307-326.
484. AOKI, K., TODA, H., YAMAMOTO, J., CHEN, J. Y. & NISHIUMI, T. (2012). Is hydrogen gas in water present as bubbles or hydrated form? *Journal of Electroanalytical Chemistry* **668**, 83-89.
485. KLUNDER, K., HEKMAN, F. A., BROWN, K. L. & PEASLEE, G. F. (2012). A Study of Dissolved Gas Dynamics in Mixed Stream Electrolyzed Water. *Electrochemistry* **80**, 574-577.
486. KUHLMANN, J., BARTSCH, I., WILLBOLD, E., SCHUCHARDT, S., HOLZ, O., HORT, N., HOCHÉ, D., HEINEMAN, W. R. & WITTE, F. (2012). Fast escape of hydrogen from gas cavities around corroding magnesium implants. *Acta Biomater.*
487. SEO, T., KUROKAWA, R. & SATO, B. (2012). A convenient method for determining the concentration of hydrogen in water: use of methylene blue with colloidal platinum. *Medical Gas Research* **2**, 1.
488. WONG, W. W. & CLARKE, L. L. (2012). A hydrogen gas-water equilibration method produces accurate and precise stable hydrogen isotope ratio measurements in nutrition studies. *Journal of Nutrition* **142**, 2057-62.
489. HE, J., XIONG, S., ZHANG, J., WANG, J., SUN, A., MEI, X., SUN, X., ZHANG, C. & WANG, Q. (2013). Protective effects of hydrogen-rich saline on ulcerative colitis rat model. *Journal of Surgical Research*.
490. LI, G. M., JI, M. H., SUN, X. J., ZENG, Q. T., TIAN, M., FAN, Y. X., LI, W. Y., LI, N. & YANG, J. J. (2013). Effects of hydrogen-rich saline treatment on polymicrobial sepsis. *Journal of Surgical Research* **181**, 279-86.
491. QIAN, L. R., CAO, F., CUI, J. G., HUANG, Y. C., ZHOU, X. J., LIU, S. L. & CAI, J. M. (2010). Radioprotective effect of hydrogen in cultured cells and mice. *Free Radic Res* **44**, 275-282.
492. QIAN, L. R., LI, B. L., CAO, F., HUANG, Y. C., LIU, S. L., CAI, J. M. & GAO, F. (2010). Hydrogen-rich PBS protects cultured human cells from ionizing radiation-induced cellular damage. *Nuclear Technology & Radiation Protection* **25**, 23-29.
493. CHUAI, Y., ZHAO, L., NI, J., SUN, D., CUI, J., LI, B., QIAN, L., GAO, F. & CAI, J. (2011). A possible prevention strategy of radiation pneumonitis: combine radiotherapy with aerosol inhalation of hydrogen-rich solution. *Medical Science Monitor* **17**, HY1-4.
494. YOON, K. S., HUANG, X. Z., YOON, Y. S., KIM, S. K., SONG, S. B., CHANG, B. S., KIM, D. H. & LEE, K. J. (2011). Histological study on the effect of electrolyzed reduced water-bathing on UVB radiation-induced skin injury in hairless mice. *Biological and Pharmaceutical Bulletin* **34**, 1671-7.
495. ZHAO, L., ZHOU, C., ZHANG, J., GAO, F., LI, B., CHUAI, Y., LIU, C. & CAI, J. (2011). Hydrogen protects mice from radiation induced thymic lymphoma

- in BALB/c mice. *International Journal of Biological Sciences* **7**, 297-300.
496. KATO, S., SAITOH, Y., IWAI, K. & MIWA, N. (2012). Hydrogen-rich electrolyzed warm water represses wrinkle formation against UVA ray together with type-I collagen production and oxidative-stress diminishment in fibroblasts and cell-injury prevention in keratinocytes. *J Photochem Photobiol B* **106**, 24-33.
497. ONO, H., NISHIJIMA, Y., ADACHI, N., SAKAMOTO, M., KUDO, Y., NAKAZAWA, J., KANEKO, K. & NAKAO, A. (2012). Hydrogen(H<sub>2</sub>) treatment for acute erythematous skin diseases. A report of 4 patients with safety data and a non-controlled feasibility study with H<sub>2</sub> concentration measurement on two volunteers. *Medical Gas Research* **2**, 14.
498. WEI, L., GE, L., QIN, S., SHI, Y., DU, C., DU, H., LIU, L., YU, Y. & SUN, X. (2012). Hydrogen-rich saline protects retina against glutamate-induced excitotoxic injury in guinea pig. *Experimental Eye Research* **94**, 117-27.
499. YANG, Y., LI, B., LIU, C., CHUAI, Y., LEI, J., GAO, F., CUI, J., SUN, D., CHENG, Y., ZHOU, C. & CAI, J. (2012). Hydrogen-rich saline protects immunocytes from radiation-induced apoptosis. *Med Sci Monit* **18**, BR144-8.
500. IGNACIO, R. M., YOON, Y. S., SAJO, M. E. J., KIM, C. S., KIM, D. H., KIM, S. K. & LEE, K. J. (2013). The balneotherapy effect of hydrogen reduced water on UVB-mediated skin injury in hairless mice. *Molecular & Cellular Toxicology* **9**, 15-21.
501. JIANG, Z., XU, B., YANG, M., LI, Z., ZHANG, Y. & JIANG, D. (2013). Protection by hydrogen against gamma ray-induced testicular damage in rats. *Basic Clin Pharmacol Toxicol* **112**, 186-91.
502. SHIN, M. H., PARK, R., NOJIMA, H., KIM, H. C., KIM, Y. K. & CHUNG, J. H. (2013). Atomic Hydrogen Surrounded by Water Molecules, H(H<sub>2</sub>O)<sub>n</sub>, Modulates Basal and UV-Induced Gene Expressions in Human Skin In Vivo. *PLoS One* **8**, e61696.
503. CHEN, C. W., CHEN, Q. B., MAO, Y. F., XU, S. M., XIA, C. Y., SHI, X. Y., ZHANG, J. H., YUAN, H. B. & SUN, X. J. (2010). Hydrogen-Rich Saline Protects Against Spinal Cord Injury in Rats. *Neurochemical Research* **35**, 1111-1118.
504. CHEN, H., SUN, Y. P., LI, Y., LIU, W. W., XIANG, H. G., FAN, L. Y., SUN, Q., XU, X. Y., CAI, J. M., RUAN, C. P., SU, N., YAN, R. L., SUN, X. J. & WANG, Q. (2010). Hydrogen-rich saline ameliorates the severity of L-arginine-induced acute pancreatitis in rats. *Biochem Biophys Res Commun* **393**, 308-313.
505. REN, J., LUO, Z., TIAN, F., WANG, Q., LI, K. & WANG, C. (2012). Hydrogen-rich saline reduces the oxidative stress and relieves the severity of trauma-induced acute pancreatitis in rats. *J Trauma Acute Care Surg* **72**, 1555-61.
506. ZHANG, D. Q. & ZHU, J. H. (2012). [Experimental studies of effects of hydrogen-rich saline in rats with severe acute pancreatitis]. *Zhonghua Yi Xue Za Zhi* **92**, 2436-40.